AUTHOR INDEX

VOLUME 60, 1988

British Journal of Anaesthesia

ARS = Anaesthetic Research Society papers
C = Correspondence
E = Editorial
R = Book review

ABERNETHY, M. H. *see* STACK, C. G., (*C*) 244
ABOULEISH, E. Apnoea associated with the intrathecal administration of morphine in obstetrics. *A Case Report* 592
ADAMS, H.-A., BISCOPING, J., KAFURKE, H., MÜLLER, H., HOFFMANN, B., BOERNER, U. and HEMPLEMANN, G. Influence of dextran on the absorption of adrenaline-containing lignocaine solutions: *A Protective Mechanism in Local Anaesthesia* 645
AITKENHEAD, A. R. *see* THOMAS, D. I., (*ARS*) 337P; WORSLEY, M. H. 836
ALDRIDGE, L. M. *see* HUSSEY, A. J. 130
ALLAN, L. G. *see* HUSSEY, A. J. 130
ALLAN, M. W. B., GRAY, W. M. and ASBURY, A. J. Measurement of arterial pressure using catheter–inducer systems. *Improvement Using the Accudynamic* 413
AMAHA, K. *see* NAKAZAWA, K. 547
ANDERSEN, B. N. *see* MALLING, B. V. G. 426
ANDERSON, S., RADFORD, S., CAMPBELL, I., GOODMAN, N. and BLACK, A. Acute phase proteins after cholecystectomy, (*ARS*) 328P
ANNAN, F. J. *see* DRUMMOND, G. B., (*ARS*) 331P
APS, C. *see* HARRIS, M. N. E. 779
ARTHURSON, G. M. *see* SMITH, G. B. 703
ARVIEUX, C. C. *see* LEONE, B. J. 671
ASBURY, A. J. *see* ALLAN, M. W. B. 413; LAMB, K. S. R., (*ARS*) 329P; MACLEOD, A. D., (*ARS*) 327P
ASSCHER, A. W. and SPENCE, A. A. Halothane, (*C*) 479
ASTRUP, P. B. *see* SEVERINGHAUS, J. W., (*R*) 749
ATKINSON, R. S., RUSHMAN, G. B. and LEE, J. A. *A Synopsis of Anaesthesia*, 10th Edition, (*R*) 749
AZAR, I. *see* THIAGARAJAH, S. 151

BAEYENS, J. M. *see* SALVADOR, A. 495
BAINTON, R. and MOSTAFA, S. M. Re-expansion pulmonary oedema: slow decompression?, (*C*) 116
BAKER, J. A., LEWIS, C. J., ROSENTHAL, M., SNOOK, M. and WHITE, D. C. Apparatus for measurement of blood loss during trans-urethral surgery, (*ARS*) 339P
BAKER, R. D. *see* MEAKIN, G. 171
BARCROFT, J. P. and ORDMAN, A. J. Changes in palmar evaporative water loss during anaesthesia: the influence of different premedicant drugs, (*ARS*) 332P
BARDOSI, L., MOSTAFA, S. M., WILKES, R. G. and WENSTONE, R. Contralateral haemothorax: a late complication of subclavian vein cannulation 461
BARKER, J. P. and KAMATH, B. S. K. Prevention of pain on injection, (*C*) 243
BARKER, S. J. *see* TREMPER, K. K., (*R*) 601
BARROWCLIFFE, M. P. Catheter erosion of vessel walls, (*C*) 350
BARRY, H. *see* O'BOYLE, C. A. 419
BATRA, Y. K. *see* PURI, G. D. 579
BAXTER, J. N. *see* LOVETT, M. C., (*ARS*) 333P
BEASTALL, G. S. *see* POLLOCK, E. M. M. 536
BECKETT, G. J. *see* HUSSEY, A. J. 130
BELL, P. F., GIBSON, F. M., MIRAKHUR, R. K. and CLARKE, R. S. J. Comparison of single twitch and train-of-four modes of stimulation for measurement of non-depolarizing neuromuscular block, (*ARS*) 343P
BENDIXEN, D. *see* HANSEN, M., (*C*) 347
BENKHADRA, A. *see* RACLE, J. P. 508; 831
BEWLEY, A. *see* O'BOYLE, C. A. 419
BIGLER, D. *see* MOGENSEN, T. 515
BIOLLAZ, J. *see* BORGEAT, A. 733
BISCOPING, J. *see* ADAMS, H.-A. 645
BLACK, A. *see* ANDERSON, S., (*ARS*) 328P
BLOCH, E. C. Pulse oximetry during repair of congenital diaphragm hernia, (*C*) 481
BLOM-MUILWIJK, M. C., VRIESENDORP, R., VENINGA, T. S., HOFSTRA, W., SLEYFER, D. T., WIERINGA, R. A. and KONINGS, A. W. T. Pulmonary toxicity after treatment with bleomycin alone or in combination with hyperoxia. *Studies in the Rat* 91
BLUNNIE, W. P. *see* CLAFFEY, L. P., (*ARS*) 339P; CRAWFORD, B., (*ARS*) 345P; FITZPATRICK, G., (*ARS*) 340P
BOEKE, S., BONKE, B., BOUWHUIS-HOOGERWERF, M. L., BOVILL, J. G. and ZWAVELING, A. Effects of sounds presented during general anaesthesia on postoperative course 697
BOERNER, U. *see* ADAMS, H.-A. 645
BOITIER, J. F. *see* GAUDY, J. H. 456
BONKE, B. *see* BOEKE, S. 697
BORGEAT, A., BIOLLAZ, J., DEPIERRAZ, B. and NEFF, R. Grand mal seizure after extradural morphine analgesia 733
BORGERS, M. *see* FLAMENG, W. 14S
BOSTON, V. *see* MCCAFFERTY, D. F. 64
BOUWHUIS-HOOGERWERF, M. L. *see* BOEKE, S. 697
BOVILL, J. G. *see* BOEKE, S. 697
BOYCE, W. J. *see* COLEMAN, S. A. 43
BOYNAN, C. *see* CLAFFEY, L. P., (*ARS*) 339P
BRÄNDLE, M. *see* JACOB, R. 8S
BRAVERMAN, B. *see* IVANKOVICH, A. D., (*C*) 744
BREADY, L. L. and SMITH, R. B. *Decision Making in Anesthesiology*, (*R*) 352
BRENDEL, K. *see* DALE, O. 692
BRIDENBAUGH, L. D. *see* PITHER, C. E. 730
BRITTEN, J. J. *see* EVANS, R. T., (*C*) 866
BROWN, B. R. JR, (editor) *Anesthesia and Transplantation Surgery*, (*R*) 601
BROWN, D. T. *see* WILDSMITH, J. A. W., (*ARS*) 334P
BROWNELL, A. K. W. Malignant hyperthermia: relationship to other diseases 303
BRUCE, W. and SONI, N. Assessment of the fresh gas flow requirements of the Enclosed Magill anaesthetic breathing system during spontaneous ventilation, (*ARS*) 341P

BURCHARDI, H. *see* CANNON, D. 430
BURCHETT, K. R. *see* HUTTON, P. 36
BURM, A. G. L. *see* VEERING, B. T. 187
BURROW, L. M. *see* SEMPLE, A. J. 632
BURROWS, F. A. *see* STOW, P. J. 167
BUZELLO, W. and HUTTARSCH, H. Muscle relaxation in patients with Duchenne's muscular dystrophy. *Use of Vecuronium in Two Patients* 228

CABLE, N. T. *see* CRIPPS, T. P., (*ARS*) 334P
CAHALAN, M. K., LURZ, F. C. and SCHILLER, N. B. Transoesophageal two-dimensional echocardiographic evaluation of anaesthetic effects on left ventricular function 99S
CALVEY, T. N. *see* O'SULLIVAN, E. P. 367
CAMPBELL, I. *see* ANDERSON, S., (*ARS*) 328P
CAMPBELL, I. T. *see* GANTA, R. 854; LOVETT, M. C., (*ARS*) 333P
CAMPKIN, T. V. and TURNER, J. M. *Neurosurgical Anaesthesia and Intensive Care*, Second Edition, (*R*) 247
CAMU, F. *see* CLAEYS, M. 3
CANNON, D., KALSO, E. J., BURCHARDI, H. and SYKES, M. K. Effects of increased cardiac output on pulmonary blood flow distribution during lobar ventilation hypoxia and collapse 430
CANNON, D., KALSO, E. J. and SYKES, M. K. Effects of the pattern of ventilation and of an increase in cardiac output on the distribution of blood flow to a hypoxic lung lobe 81
CANNON, D. *see* NIBLETT, D. J. 198
CAPIAU, P. *see* HERREGODS, L. 565
CARLOS, R. *see* SALVADOR, A. 495
CARSON, I. W. *see* MATHEWS, H. M. L. 530
CARSON, R. J. *see* LAISHLEY, R. S., (*ARS*) 330P
CARTWRIGHT, D. P. *see* JENKINS, J. G., (*C*) 747
CASEY, N. F., HANNON, V., CUNNINGHAM, A. and HEANEY, J. Visual evoked potentials and changes in serum glycine concentration during transurethral resection of the prostate 525
CHAMBERS, W. A. *see* MACLEAN, D. 136
CHAN, V. W. S. and TINDAL, S. Anaesthesia for transsphenoidal surgery in a patient with extreme gigantism 464
CHATER, S. N. and SIMPSON, K. H. Effect of passive hyperventilation on seizure duration in patients undergoing electroconvulsive therapy 70
CHAUVIN, M. *see* PRYS-ROBERTS, C., (*C*) 600; TROUVIN, J.-H. 762
CHELLY, J. E. *see* DOURSOUT, M.-F. 119S
CHESHIRE, M. A. *see* RITCHIE, P. A. 859
CHOUDHRY, A. K. *see* CONACHER, I. D. 588
CLAEYS, M., GEPTS, E. and CAMU, F. Haemodynamic changes during anaesthesia induced and maintained with propofol 3
CLAEYS, M. A. *see* DRUMMOND, G. B., (*C*) 865
CLAFFEY, L. P., BOYNAN, C., BLUNNIE, W. P. and DUNPHY, J. A. Slow-release metoclopramide (Gastrobid) in the perioperative cardiac surgery period, (*ARS*) 339P
CLAPHAM, M.C.C. *see* WILLIS, N., (*C*) 243
CLARKE, R. S. J. *see* BELL, P. F., (*ARS*) 343P; HOLMES, W., (*ARS*) 327P; MATHEWS, H. M. L. 530
COCKSHOTT, J. D. *see* KIRKPATRICK, T. 146
COLE, P. V. *see* IVANKOVICH, A. D., (*C*) 744; SURY, M. R. J., (*ARS*) 336P; 797
COLEMAN, S. A., BOYCE, W. J., COSH, P. H. and MCKENZIE, P. J. Outcome after general anaesthesia for repair of fractured neck of femur. *A Randomized Trial of Spontaneous* v. *Controlled Ventilation* 43
CONACHER, I. D., MCNALLY, B., CHOUDHRY, A. K. and MCGREGOR, C. G. A. Anaesthesia for isolated lung transplantation 588
COOPER, G. M. *see* PRYS-ROBERTS, C., (*E*) 355
CORFIELD, D. R. *see* SMITH, M., (*ARS*) 320P
CORKE, C. F. and JACKSON, I. J. B. *Companion to the F.F.A.R.C.S. Part III*, (*R*) 249
CORMACK, R. S. Unconscious perception during anaesthesia — comment on statistics, (*C*) 600
COSH, P. H. *see* COLEMAN, S. A. 43
COTTRELL, J. E. *see* KARLIN, A. 161
CRAWFORD, B., BLUNNIE, W. P. and ELLIOTT, A. G. P. Evaluation of the Triflo II Incentive Deep Breathing Exerciser after cholecystectomy, (*ARS*) 345P
CRAWFORD, J. S. Gastric emptying in pregnancy, (*C*) 864
CREAGH-BARRY, P. *see* NEWTON, D. E. F., (*ARS*) 336P
CREIGHTON, R. E. *see* STOW, P. J. 167
CRIPPS, T. P., GREEN, J. H., ELLIS, F. R. and CABLE, N. T. Influence of nitrous oxide inhalation on selected physiological responses to exercise, (*ARS*) 334P
CROCI, M. *see* DAMIA, G. 574
CROSS, G. D. *see* SMITH, G. B. 703
CROWTHER, A. *see* HARRIS, M. N. E. 779
CUMMINGS, G. C. *see* LAMB, K. S. R., (*ARS*) 329P
CUNNINGHAM, A. *see* CASEY, N. F. 525
CURRY, C. H. *see* SMITH, G. B. 703
CUSCHIERI, R. J. *see* GIBBS, P., (*C*) 119
CUTFIELD, G. R., FRANCIS, C. M., FOËX, P., JONES, L. A. and RYDER, W. A. Isoflurane and large coronary artery haemodynamics. *A Study in Dogs* 784
CUTFIELD, G. R. *see* FOËX, P. 65S; LEHOT, J. J. 405

DAGNINO, J. *see* PRYS-ROBERTS, C., (*C*) 600
DALE, O., GANDOLFI, A. J., BRENDEL, K. and SCHUMAN, S. Rat liver slices and diazepam metabolism: *in vitro* interactions with volatile anaesthetic drugs and albumin 692
DALE, S., ROWBOTHAM, D. J. and NIMMO, W. S. Oxygen saturation in the recovery room, (*ARS*) 341P
DAMIA, G., MASCHERONI, D., CROCI, M. and TARENZI, L. Perioperative changes in functional residual capacity in morbidly obese patients 574
DANN, W. L. *see* JENKINS, J. G., (*C*) 747
DATTA, S. and OSTHEIMER, G. W., (editors) *Common Problems in Obstetric Anesthesia*, (*R*) 352
DAVIES, C. *see* EWART, M. C., (*ARS*) 320P
DAVIES, J. M. *see* LOVETT, M. C., (*ARS*) 333P
DAVIS, F. M. *see* DODDS, C., (*C*) 746
DEARDEN, M. J. *see* SIMPSON, K. H. 825
DEPIERRAZ, B. *see* BORGEAT, A. 733
DERRINGTON, M. C. and HINDOCHA, N. Measurement of the force required to hold open the mouth, (*ARS*) 344P
DESGRAND, D. A. *see* YOUSSEF, M. S. 841
DICH-NIELSEN, J. O. *see* JACOBSON, J. 623
DIMICH, I. *see* GRIFFIN, R. M. 655
DIXON, J. *see* ROBERTS, F. L., (*ARS*) 342P; WOODCOCK, T. E. 388
DODDS, C. and DAVIS, F. M. Mortality and morbidity after hip fracture, (*C*) 746
DODDS, C. and WADE, A. Computer storage and retrieval of data from pulse oximetry, (*ARS*) 343P
DODSON, M. E. *see* KIRBY, I. J. 384
DONADONI, R. *see* HERREGODS, L. 565
DONALDSON, M. D. J. *see* SURY, M. R. J., (*ARS*) 336P; 797
DORÉ, C. *see* NEWTON, D. E. F., (*ARS*) 336P
DORÉ, C. J. *see* THORNTON, C. 372
DOUGLAS, E. J. *see* KIRKPATRICK, T. 146
DOURSOUT, M.-F. and CHELLY, J. E. Effects of basal anaesthesia on cardiac function 119S
DRUMMOND, G. B. and CLAEYS, M. A. Haemodynamic effects of propofol, (*C*) 865
DRUMMOND, G. B., PYE, D. W., ANNAN, F. J. and TOTHILL, P. Changes in blood volume distribution associated with general anaesthesia, (*ARS*) 331P
DRUMMOND, G. B. *see* RAY, D. C., (*ARS*) 335P

DUNBAR, P. J. *see* FORTUNA, A., (*C*) 595
DUNDEE, J. W. *see* GHALY, R. G., (*ARS*) 329P
DUNNE, N. M. and GILLBE, C. E. Supplementary isoflurane on cardiopulmonary bypass, (*ARS*) 323P
DUNPHY, J. A. *see* CLAFFEY, L. P., (*ARS*) 339P
DUTHIE, D. J. R., ROWBOTHAM, D. J., WYLD, R., HENDERSON, P. D. and NIMMO, W. S. Plasma fentanyl concentrations during transdermal delivery of fentanyl to surgical patients 614
DUVALDESTIN, P. *see* TROUVIN, J.-H. 762

EADSFORTH, P. *see* GOUCKE, C. R., (*ARS*) 333P
EDMONDSON, L. and MIRAKHUR, R. K. Suxamethonium and intraocular pressure, (*C*) 349
EDWARDS, D. *see* HARPER, N. J. N., (*ARS*) 344P
EL-BANAYOSY, A. *see* HOSIE, H. E. 18; INOUE, K. 10
ELDOR, J., OLSHWANG, D., MILLAR, J. M. and JAGO, R. H. Combined spinal–extradural anaesthesia for prostatectomy, (*C*) 121
ELLIOTT, A. G. P. *see* CRAWFORD, B., (*ARS*) 345P
ELLIOTT, J. R. and MCELWEE, A. A. Observations concerning the nature of sites of anaesthetic action in *Gammarus* 817
ELLIOTT, P. *see* MIRAKHUR, R. K. 379
ELLIS, F. R. The diagnosis of MH: its social implications, (*E*) 251
ELLIS, F. R., HALSALL, P. J. and HARRIMAN, D. G. F. Malignant hyperpyrexia and sudden infant death syndrome 28
ELLIS, F. R. *see* CRIPPS, T. P., (*ARS*) 334P; SIMPSON, K. H. 825
ELTON, R. A. and WEATHERILL, D. Low-flow nitrous oxide–oxygen and nitrogen–oxygen circle systems: effects of body size, (*ARS*) 335P
ERDMANN, W. *see* FAITHFULL, N. S. 773
EVANS, J. M. Lower oesophageal contractility and surgical stimulation, (*C*) 864
EVANS, R. T., WHITTAKER, M. and BRITTEN, J. J. Suxamethonium-sensitive genotypes, (*C*) 866
EWART, M. C., FLETCHER, M., DAVIES, C., STOCKS, J. and HATCH, D. J. Comparison of total ventilatory compliance during anaesthesia in spontaneously breathing and paralysed infants and young children, (*ARS*) 320P

FAITHFULL, N. S., FENNEMA, M. and ERDMANN, W. Protection against myocardial ischaemia by prior haemodilution with fluorocarbon emulsions 773
FARINOTTI, R. *see* TROUVIN, J.-H. 762
FASSOULAKI, A., KOSTOPANAGIOTOU, G., KANIARIS, P. and VARONOS, D. Changes in phospholipid monolayers produced by general anaesthetics are partially inhibited by piracetam, (*ARS*) 330P
FEE, J. P. H. *see* GHALY, R. G., (*ARS*) 329P; HOLMES, W., (*ARS*) 327P
FENNEMA, M. *see* FAITHFULL, N. S. 773
FISHER, D. M. *see* SINGLETON, M. A. 619
FISHER, M. *see* STIRTON-HOPKINS, C., (*C*) 597
FITZPATRICK, G., MCDONALD, N., BLUNNIE, W. P., SYNNOTT, A. J. and O'SULLIVAN, K. Sustained release oral morphine—the influence of general anaesthesia, (*ARS*) 340P
FITZPATRICK, G. J. and MORIARTY, D. C. Intrathecal morphine in the management of pain following cardiac surgery. *A Comparison with Morphine I.v.* 639
FLACHS, H. *see* JACOBSON, J. 623
FLAMENG, W., VANHAECKE, J. and BORGERS, M. Histology of the postischaemic myocardium and its relation to left ventricular function 14S
FLETCHER, M. *see* EWART, M. C., (*ARS*) 320P
FLETCHER, R. Carbon dioxide production and ventilatory efficiency during controlled ventilation in children with cyanotic heart disease, (*ARS*) 332P
FOËX, P., FRANCIS, C. M., CUTFIELD, G. R. and LEONE, B. The pressure–length loop 65S
FOËX, P. *see* CUTFIELD, G. R. 784; LEHOT, J. J. 405; LEONE, B. J. 671
FONSMARK, L. *see* ØRDING, H. 445
FORREST, P. *see* GALLETLY, D. 520
FORTUNA, A. and DUNBAR, P. J. Intrathecal or extradural: which approach for surgery?, (*C*) 595
FOX, E. *see* O'BOYLE, C. A. 419
FRANCIS, C. M. *see* CUTFIELD, G. R. 784; FOËX, P. 65S; LEHOT, J. J. 405
FRANCIS, D. M. A. Blood transfusions and colorectal cancer, (*C*) 120
FRANK, L. W. *see* MACKENZIE, J. E. 216
FRANKEL, D. Z. N. Continuous pump infusions for extradural analgesia during labour, (*C*) 117
FRATER, R. *see* MOORES, M. A. 542
FREI, F. *see* ZBINDEN, A. M. 395
FRIELING, G. *see* LUNKENHEIMER, P. P. 2S; THEISSEN, J. L. 72S
FROST, E. A. M. *see* THIAGARAJAH, S. 151
FUITH, L. C. *see* MITTERSCHIFFTHALER, G. 109
FURNESS, G. *see* MATHEWS, H. M. L. 530

GALEA, P. J. Avoiding accidental dural punctures, (*C*) 347
GALLAGHER, W. J., PEARCE, A. C. and POWER, S. J. Assessment of a new nasopharyngeal airway 112
GALLETLY, D., FORREST, P. and PURDIE, G. Comparison of the recovery characteristics of diazepam and midazolam 520
GANDOLFI, A. J. *see* DALE, O. 692
GANTA, R., CAMPBELL, I. T. and MOSTAFA, S. M. Anaesthesia and acute dermatomyositis/polymyositis 854
GAUDY, J. H., SICARD, J. F. and BOITIER, J. F. Ventilatory effects of oxygen in the dog under thiopentone anaesthesia 456
GEDDES, C. *see* WILLIAMSON, R., (*C*) 476
GELMAN, S., (editor) *Anesthesia and Organ Transplantation*, (*R*) 247
GEPTS, E. *see* CLAEYS, M. 3
GHALY, R. G., MEHTA, S., FEE, J. P. H. and DUNDEE, J. W. Incidence and severity of sore throat after operation: influence of tracheal tube size, (*ARS*) 329P
GIBBS, P., CUSCHIERI, R. J. and LEVACK, I. D. Intermittent wound perfusion, (*C*) 119
GIBSON, F. M. *see* BELL, P. F., (*ARS*) 343P
GILLBE, C. E. *see* DUNNE, N. M., (*ARS*) 323P
GILLMAN, M. A. Anti-neoplastic synergism of nitrous oxide and methotrexate, (*C*) 349
GLEIZAL, B. *see* RACLE, J. P. 508
GOLDINER, P. L. *see* HOWLAND, W. S., (*R*) 868
GOODMAN, N. *see* ANDERSON, S., (*ARS*) 328P
GOODRUM, D. The "arm-drop" test and the priming principle, (*C*) 122
GORESKY, G. *see* SANDHARI, B. K., (*ARS*) 324P
GORMAN, E. S. and SHNIDER, M. R. Effect of methylene blue on the absorbance of solutions of haemoglobin 439
GOUCKE, C. R., EADSFORTH, P., KAY, B. and HEALY, T. E. J. Effect of diclofenac and nefopam on the postoperative morphine demand from a patient controlled analgesia apparatus, (*ARS*) 333P
GRANT, I. S. *see* SEMPLE, A. J. 632
GRAY, W. M. Operating theatre pollution in Glasgow, (*ARS*) 331P
GRAY, W. M. *see* ALLAN, M. W. B. 413; MACLEOD, A. D., (*ARS*) 327P
GREEN, D. *see* LANIGAN, C., (*ARS*) 321P
GREEN, J. H. *see* CRIPPS, T. P., (*ARS*) 334P
GRIFFIN, R. M., DIMICH, I., JURADO, R. and KAPLAN, J. A. Haemodynamic effects of diltiazem during fentanyl–nitrous oxide anaesthesia. *An* In Vivo *Study in the Dog* 655

GRONERT, G. A., MOTT, J. and LEE, J. Aetiology of malignant hyperthermia 253
GROSSMAN, Y. *see* KENDIG, J. J. 806

HABERER, J.-P. *see* TROUVIN, J.-H. 762
HALL, L. W. Effect of nitrous oxide on respiration during halothane anaesthesia in the dog 207
HALSALL, P. J. *see* ELLIS, F. R. 28
HALSEY, M. J. *see* HUNTER, A. B., (*ARS*) 339P; WARDLEY-SMITH, B. 140
HANNING, C. D. *see* MOORES, M. A. 542
HANNON, V. *see* CASEY, N. F. 525
HANSEN, M., BENDIXEN, D. and HARTMANN, F. Modified i.v. cannula used for nerve stimulation, (*C*) 347
HARALDSTED, V. Y., NIELSEN, J. W., MADSEN, J. V. and HASSELSTRØM, L. Maintenance of constant 95% neuromuscular blockade by adjustable infusion rates of pancuronium and atracurium 491
HARPER, N. J. N., POLLARD, B. J., EDWARDS, D. and WILSON, A. Stability of atracurium in dilute solutions, (*ARS*) 344P
HARRIMAN, D. G. F. Malignant hyperthermia myopathy—a critical review 309
HARRIMAN, D. G. F. *see* ELLIS, F. R. 28
HARRIS, M. N. E., CROWTHER, A., JUPP, R. A. and APS, C. Magnesium and coronary revascularization 779
HARRISON, G. G. Dantrolene—dynamics and kinetics 279
HARTMANN, F. *see* HANSEN, M., (*C*) 347
HARTUNG, J. *see* KARLIN, A. 161
HARTVIG, P. *see* PERSSON, M. P. 755; SJÖSTRÖM, S. 358
HARVEY, J. R. *see* ROBERTS, F. L., (*ARS*) 342P
HASSELSTRØM, L. *see* HARALDSTED, V. Y. 491
HATCH, D. J. and WILLIAMS, G. M. E. The Haloscale "Infanta" Wright Respirometer. *An* In Vivo *and* In Vitro *Assessment* 232
HATCH, D. J. *see* EWART, M. C., (*ARS*) 320P; MORGAN-HUGHES, J. O., (*C*) 867; RIDLEY, S. A. 31
HEALY, T. E. J. *see* GOUCKE, C. R., (*ARS*) 333P; KAY, B., (*ARS*) 324P; MIDDLETON, C. M., (*ARS*) 323P
HEANEY, J. *see* CASEY, N. F. 525
HEATH, M. L. and REDFERN, N. Anaesthesia for Caesarean section, (*C*) 477
HEFFRON, J. J. A. Malignant hyperthermia: biochemical aspects of the acute episode 274
HEINONEN, J. *see* HYNYNEN, M., (*C*) 245
HEMPLEMANN, G. *see* ADAMS, H.-A. 645
HENDERSON, P. D. *see* DUTHIE, D. J. R. 614; PEACOCK, J. E., (*ARS*) 342P
HENEGHAN, C. P. H. *see* THORNTON, C. 372
HERREGODS, L., CAPIAU, P., ROLLY, G., DE SOMMER, M. and DONADONI, R. Propofol for arthroscopy in outpatients. *Comparison of Three Anaesthetic Techniques* 565
HETZEL, H. *see* MITTERSCHIFFTHALER, G. 109
HINDOCHA, N. *see* DERRINGTON, M. C., (*ARS*) 344P
HJORTSØ, M.-C. *see* MOGENSEN, T. 515
HOFFMANN, B. *see* ADAMS, H.-A. 645
HOFSTRA, W. *see* BLOM-MUILWIJK, M. C. 91
HOLLY, F. O. and VAN STEENNIS, C. Postoperative analgesia with fentanyl: pharmacokinetics and pharmacodynamics of constant-rate i.v. and transdermal delivery 608
HOLMES, W., FEE, J. P. H., HOWE, J. P. and CLARKE, R. S. J. Effect of water ingestion and diazepam premedication on gastric volume and pH, (*ARS*) 327P
HOLMQUIST, E. *see* MITCHELL, R. W. D. 851
HOOD, J. *see* LANIGAN, C., (*ARS*) 321P
HOSIE, H. E., EL-BANAYOSY, A., STOLARSKI, L. and REICHELT, W. Comparison of sedation with temazepam by mouth and Diazemuls i.v. for dental surgery. *Variability in Absorption may Influence Clinical Effect* 18
HOWE, J. P. *see* HOLMES, W., (*ARS*) 327P
HOWLAND, W. S., ROONEY, S. M. and GOLDINER, P. L. *Manual of Anesthesia in Cancer Care*, (*R*) 868
HUG, C. C. JR *see* LEVY, J. H. 35S
HUNTER, A. B., WARDLEY-SMITH, B. and HALSEY, M. J. Pressure reversal of amphetamine-induced hyperactivity, (*ARS*) 339P
HUNTSMAN, R. G. *Sickle-Cell Anemia and Thalassemia: A Primer for Health Care Professionals*, (*R*) 602
HUSSEY, A. J., ALDRIDGE, L. M., PAUL, D., RAY, D. C., BECKETT, G. J. and ALLAN, L. G. Plasma glutathione S-transferase concentration as a measure of hepatocellular integrity following a single general anaesthetic with halothane, enflurane or isoflurane 130
HUTCHINSON, A. *see* JENKINS, J. G., (*C*) 747
HUTTARSCH, H. *see* BUZELLO, W. 228
HUTTON, P., BURCHETT, K. R. and MADDEN, A. P. Comparison of recovery after neuromuscular blockade by atracurium or pancuronium 36
HUTTON, P. *see* PRYS-ROBERTS, C., (*E*) 355
HVIDBERG, E. F. *see* JACOBSON, J. 623
HYNYNEN, M., LEHTINEN, A.-M., SALMENPERÄ, M. and HEINONEN, J. Plasma prolactin concentrations during high-dose opioid anaesthesia, (*C*) 245

INOUE, K., EL-BANAYOSY, A., STOLARSKI, L. and REICHELT, W. Vecuronium induced bradycardia following induction of anaesthesia with etomidate or thiopentone, with or without fentanyl 10
ISAAC, P. A. and ROSEN, M. Lower oesophageal contractions and depth of anaesthesia and awareness, (*ARS*) 338P
ISSELHARD, W. Biochemistry: index of the functional state of the heart? 23S
IVANKOVICH, A. D., BRAVERMAN, B., COLE, P. V. and VESEY, C. J. Sodium thiosulphate decreases blood cyanide concentration following sodium nitroprusside, (*C*) 744

JACK, T. M. *see* SIMPSON, K. H. 825
JACKSON, I. J. B. *see* CORKE, C. F., (*R*) 249
JACOB, R., BRÄNDLE, M. and KISSLING, G. Principles underlying the assessment of ventricular and myocardial work and power capacity 8S
JACOBSON, J., FLACHS, H., DICH-NIELSEN, J. O., ROSEN, J., LARSEN, A. B. and HVIDBERG, E. F. Comparative plasma concentration profiles after i.v., i.m. and rectal administration of pethidine in children 623
JAGO, R. H. *see* ELDOR, J., (*C*) 121
JAMES, R. H. *see* MAY, A. E., (*C*) 243
JAMIESON, M. P. G. *see* POLLOCK, E. M. M. 536
JENKINS, J. G., DANN, W. L., HUTCHINSON, A. and CARTWRIGHT, D. P. General anaesthesia for Caesarean section, (*C*) 747
JENKINS, S. A. *see* LOVETT, M. C., (*ARS*) 333P
JONES, J. G. *see* THORNTON, C. 372
JONES, L. A. *see* CUTFIELD, G. R. 784
JONES, R. M. *see* POWER, S. J. 486
JORDAN, C. *see* THORNTON, C. 372
JORDAN, M. J. and SYKES, M. K. Essential monitoring, (*C*) 746
JUPP, R. A. *see* HARRIS, M. N. E. 779
JURADO, R. *see* GRIFFIN, R. M. 655

KAFURKE, H. *see* ADAMS, H.-A. 645
KALLI, I. and MERETOJA, O. A. Infusion of atracurium in neonates, infants and children. *A Study of Dose Requirements* 651
KALSO, E. J. *see* CANNON, D. 430; 81
KAMATH, B. S. K. *see* BARKER, J. P., (*C*) 243
KANIARIS, P. *see* FASSOULAKI, A., (*ARS*) 330P
KAPLAN, J. A., (editor) *Cardiac Anaesthesia*, Second Edition, (*R*) 123

KAPLAN, J. A. *see* GRIFFIN, R. M. 655
KAPUR, P. A. Acute closed-chest canine model for anaesthesia research 42S
KARLIN, A., HARTUNG, J. and COTTRELL, J. E. Rate of induction of hypotension with trimetaphan modifies the intracranial pressure response in cats 161
KAUFMAN, L., (editor) *Anaesthesia Review 4, (R)* 248
KAY, B., MACKEAN, J. and HEALY, T. E. J. Effects of atracurium after pancuronium, (*ARS*) 324P
KAY, B. *see* GOUCKE, C. R., (*ARS*) 333P; MIDDLETON, C. M., (*ARS*) 323P
KEHLET, H. *see* MOGENSEN, T. 515
KENDIG, J. J., GROSSMAN, Y. and MACIVER, M. B. Pressure reversal of anaesthesia: a synaptic mechanism 806
KENNA, J. G. *see* WARK, H., (*C*) 747
KIDNEY, S. *see* NIGROVIC, V., (*C*) 477
KIRBY, I. J., NORTHWOOD, D. and DODSON, M. E. Modification by alfentanil of the haemodynamic response to tracheal intubation in elderly patients. *A Dose–Response Study* 384
KIRKPATRICK, T., COCKSHOTT, J. D., DOUGLAS, E. J. and NIMMO, W. S. Pharmacokinetics of propofol (Diprivan) in elderly patients 146
KISSLING, G. *see* JACOB, R. 8S
KONIECZKO, K. *see* THORNTON, C. 372
KONINGS, A. W. T. *see* BLOM-MUILWIJK, M. C. 91
KORPELA, R. *see* MAUNUKSELA, E.-L. 48
KOSAKA, F. *see* TOKIOKA, H. 582
KOSHAKJI, R. P. *see* REILLY, C. S. 791
KOSOGABE, Y. *see* TOKIOKA, H. 582
KOSTOPANAGIOTOU, G. *see* FASSOULAKI, A., (*ARS*) 330P
KOUSHANPOUR, E. and KRIZ, W. *Renal Physiology: Principles, Structure and Function*, Second Edition, (*R*) 352
KRIZ, W. *see* KOUSHANPOUR, E., (*R*) 352
KUMAR, Y. *see* SHANKAR, K. B., (*C*) 118; (*C*) 480

LAISHLEY, R. S., CARSON, R. J. and REYNOLDS, F. Effects of adrenaline on placental transfer of bupivacaine in rabbits, (*ARS*) 330P
LAISHLEY, R. S., MORGAN, B. M. and REYNOLDS, F. Effect of adrenaline on extradural anaesthesia and plasma bupivacaine concentrations during Caesarean section 180
LAMB, K. S. R., CUMMINGS, G. C. and ASBURY, A. J. Comparison of three commercially available preparations of soda-lime, (*ARS*) 329P
LAMONT, M. *see* MITCHELL, R. W. D. 851
LANIER, W. L., SHARBROUGH, F. W. and MICHENFELDER, J. D. Effects of atracurium, vecuronium or pancuronium pretreatment on lignocaine seizure threshold in cats 74
LANIGAN, C., HOOD, J., GREEN, D. and PONTE, J. Transconjunctival and transcutaneous oxygen monitoring: *in vivo* stability, (*ARS*) 321P
LANIGAN, C., PONTE, J. and MOXHAM, J. Performance of transcutaneous Po_2 and Pco_2 dual electrodes in adults 736
LARSEN, A. B. *see* JACOBSON, J. 623
LARSEN, K. B. *see* MALLING, B. V. G. 426
LATTO, I. P. *see* SHANKAR, K. B., (*C*) 480; (*C*) 118
LEAR, E. *see* THIAGARAJAH, S. 151
LEE, A., SIMPSON, D., WHITFIELD, A. and SCOTT, D. B. Postoperative analgesia by continuous extradural infusion of bupivacaine and diamorphine 845
LEE, J. *see* GRONERT, G. A. 253
LEE, J. A. *see* ATKINSON, R. S., (*R*) 749
LEHOT, J. J., LEONE, B., FRANCIS, C. M., CUTFIELD, G. R. and FOËX, P. Endocardial viability ratio and ischaemic dysfunction of the left ventricle during halothane anaesthesia 405
LEHOT, J. J. *see* LEONE, B. J. 671
LEHTINEN, A.-M. *see* HYNYNEN, M., (*C*) 245
LEONE, B. *see* FOËX, P. 65S; LEHOT, J. J. 405
LEONE, B. J., LEHOT, J. J., RUNCIMAN, W. B., WELDING, R. N., RAMSAY, J. G., ARVIEUX, C. C., RYDER, W. A. and FOËX, P. Effects of lignocaine and bupivacaine on regional myocardial function and coronary blood flow in anaesthetized dogs 671
LEVACK, I. D. *see* GIBBS, P., (*C*) 119
LEVY, C. J. *see* SAUNDERS, N. J., (*C*) 348
LEVY, J. H. and HUG, C. C. JR. Use of cardiopulmonary bypass in studies of the circulation 35S
LEWIS, C. J. *see* BAKER, J. A., (*ARS*) 339P
LEWIS, G. T. R. *see* ROBERTS, F. L., (*ARS*) 342P
LINDAHL, S. G. E. *see* MORGAN-HUGHES, J. O., (*C*) 867
LINDGREN, L. and SAARNIVAARA, L. Increase in intragastric pressure during suxamethonium-induced muscle fasciculations in children: inhibition by alfentanil 176
LINKENS, D. A. *see* MACLEOD, A. D., (*ARS*) 327P
LINTER, S. P. K. *see* NARANG, V. P. S. 402; STACK, C. G. 222
LITTLE, H. J. *see* WARDLEY-SMITH, B. 140
LOVETT, M. C., SAMUELS, T. A., DAVIES, J. M., MAKIN, C., BAXTER, J. N., JENKINS, S. A. and CAMPBELL, I. T. Repiratory function after oesophageal sclerotherapy, (*ARS*) 333P
LOWENSTEIN, E. Regional length and thickness measurements 58S
LUND, C. *see* MOGENSEN, T. 515
LUNKENHEIMER, A. *see* LUNKENHEIMER, P. P. 2S
LUNKENHEIMER, P. P., REDMAN, K., WHIMSTER, W. F., THEISSEN, J., FRIELING, G. and LUNKENHEIMER, A. The problem created by myocardial structure in assessing function 2S
LUNKENHEIMER, P. P. *see* THEISSEN, J. L. 72S
LUNN, J. N. *see* ROSEN, M., (*R*) 868
LURZ, F. C. *see* CAHALAN, M. K. 99S
LYONS, G. *see* SIMPSON, K. H. 627
LYONS, S. M. *see* MATHEWS, H. M. L. 530

MCCAFFERTY, D. F., WOOLFSON, A. D., MCCLELLAND, K. H. and BOSTON, V. Comparative *in vivo* and *in vitro* assessment of the percutaneous absorption of local anaesthetics 64
MCCLELLAND, K. H. *see* MCCAFFERTY, D. F. 64
MACCOSKIE, S. *see* SHANKAR, K. B., (*C*) 118; (*C*) 480
MCCREARY, C. *see* O'BOYLE, C. A. 419
MACDONALD, A. G. *see* MCGRADY, E. M. 803
MCDONALD, N. *see* FITZPATRICK, G., (*ARS*) 340P
MACDONALD, R. *see* SIMPSON, K. H. 627
MCDOWELL, J. M. *see* SIMPSON, K. H. 627
MCELWEE, A. A. *see* ELLIOTT, J. R. 817
MCGRADY, E. M. and MACDONALD, A. G. Effect of the preoperative administration of water on gastric volume and pH 803
MCGREGOR, C. G. A. *see* CONACHER, I. D. 588
MACIVER, M. B. and ROTH, S. H. Inhalation anaesthetics exhibit pathway-specific and differential actions on hippocampal synaptic responses *in vitro* 680
MACIVER, M. B. *see* KENDIG, J. J. 806
MACKEAN, J. *see* KAY, B., (*ARS*) 324P
MACKENZIE, J. E. and FRANK, L. W. Influence of pretreatment with a monoamine oxidase inhibitor (phenelzine) on the effects of buprenorphine and pethidine in the conscious rabbit 216
MCKENZIE, P. J. *see* COLEMAN, S. A. 43
MACLEAN, D., CHAMBERS, W. A., TUCKER, G. T. and WILDSMITH, J. A. W. Plasma prilocaine concentrations after three techniques of brachial plexus blockade 136
MACLEOD, A. D., ASBURY, A. J., GRAY, W. M. and LINKENS, D. A. Towards practical automatic control of neuromuscular blockade with atracurium, (*ARS*) 327P
MCLEOD, M. E. *see* STOW, P. J. 167

McMENEMIN, I. M. and PARBROOK, G. D. Comparison of the effects of subanaesthetic concentrations of isoflurane or nitrous oxide in volunteers 56
McNALLY, B. *see* CONACHER, I. D. 588
McNICOL, L. R. *see* POLLOCK, E. M. M. 536
MACRAE, D. J. *see* SEMPLE, A. J. 632
MADDEN, A. P. *see* HUTTON, P. 36
MADEJ, T. H. *see* SIMPSON, K. H. 627; SOSIS, M., (*C*) 118
MADSEN, J. V. *see* HARALDSTED, V. Y. 491
MAERTENS, J. *see* ZBINDEN, A. M. 395
MAGALHAËS, P. *see* REIS, J., (*C*) 243
MAKIN, C. *see* LOVETT, M. C., (*ARS*) 333P
MALLING, B. V. G., NISSEN, L. R., LARSEN, K. B. and ANDERSEN, B. N. Postanaesthetic arousal time in elderly patients. *A Double-Blind Study of Glycopyrrolate and Atropine* 426
MALTBY, J. R. *see* SANDHARI, B. K., (*ARS*) 324P
MANARA, A. R. *see* QUINN, K. G., (*C*) 348
MAPLESON, W. W. *see* SHANKAR, K. B., (*C*) 480; (*C*) 118; WILLIS, N., (*C*) 243
MARTYN, J. A. J. *see* MILLS, A. K. 450
MASCHERONI, D. *see* DAMIA, G. 574
MATHEWS, H. M. L., FURNESS, G., CARSON, I. W., ORR, I. A., LYONS, S. M. and CLARKE, R. S. J. Comparison of sufentanil–oxygen and fentanyl–oxygen anaesthesia for coronary artery bypass grafting 530
MAUNUKSELA, E.-L., KORPELA, R. and OLKKOLA, K. T. Double-blind multiple-dose comparison of buprenorphine and morphine in postoperative pain in children 48
MAY, A. E., THEOPHILUS, S. W. J. and JAMES, R. H. Routine use of atropine in obstetric anaesthesia, (*C*) 243
MAY, S. N. *see* SMITH, G. B. 703
MAYHEW, J. F. Anaesthetic management of achondroplasia, (*C*) 599
MEAKIN, G., SHAW, E. A., BAKER, R. D. and MORRIS, P. Comparison of atracurium-induced neuromuscular blockade in neonates, infants and children 171
MECKLENBURGH, J. S. *see* SHANKAR, K. B., (*C*) 118; (*C*) 480
MEHTA, S. *see* GHALY, R. G., (*ARS*) 329P
MERETOJA, O. A. *see* KALLI, I. 651
MERIN, R. G. The isolated heart preparation 28S
MERRELL, J. *see* REILLY, C. S. 791
MICHENFELDER, J. D. *see* LANIER, W. L. 74
MIDDLETON, C. M., POLLARD, B. J., KAY, B. and HEALY, T. E. J. Atracurium and vecuronium following tubocurarine, (*ARS*) 323P
MILLAR, J. M. *see* ELDOR, J., (*C*) 121
MILLARD, R. K. *see* WOODCOCK, T. E. 388
MILLER, D. M. Breathing systems for use in anaesthesia. *Evaluation Using a Physical Lung Model and Classification* 555
MILLER, D. M. and MILLER, J. C. Enclosed Afferent Reservoir breathing systems. *Description and Clinical Evaluation* 469
MILLER, J. C. *see* MILLER, D. M. 469
MILLER, M. *see* SIMPSON, K. H. 24
MILLER, R. D., (editor) *1987 Year Book of Anaesthesia*, (*R*) 750; *Anesthesia*, Second Edition, (*R*) 248
MILLS, A. K. and MARTYN, J. A. J. Evaluation of atracurium neuromuscular blockade in paediatric patients with burn injury 450
MILNE, M. K. *see* SEMPLE, A. J. 632
MIRAKHUR, R. K., SHEPHERD, W. F. I. and ELLIOTT, P. Intraocular pressure changes during rapid sequence induction of anaesthesia: comparison of propofol and thiopentone in combination with vecuronium 379
MIRAKHUR, R. K. *see* BELL, P. F., (*ARS*) 343P; EDMONDSON, L., (*C*) 349
MITCHELL, R. W. D., SCOTT, D. B., HOLMQUIST, E. and LAMONT, M. Continuous extradural infusion of 0.125% bupivacaine for pain relief after lower abdominal surgery 851
MITTERSCHIFFTHALER, G., THEINER, A., HETZEL, H. and FUITH, L. C. Safe use of propofol in a patient with acute intermittent porphyria 109
MOGENSEN, T., HJORTSØ, M.-C., BIGLER, D., LUND, C. and KEHLET, H. Unpredictability of regression of analgesia during the continuous postoperative extradural infusion of bupivacaine 515
MOORE, J. K. Anaesthetic experience — The view from below 239
MOORES, M. A., FRATER, R., PARRY, P. and HANNING, C. D. Double-blind comparison of the efficacy and safety of single doses of meptazinol as a suppository and morphine by i.m. injection 542
MORGAN, B. M. *see* LAISHLEY, R. S. 180
MORGAN-HUGHES, J. O., HATCH, D. J., YATES, A. P. and LINDAHL, S. G. E. Flow requirements and rebreathing during mechanically controlled ventilation in a T-piece (Mapleson E), (*C*) 867
MORIARTY, D. C. *see* FITZPATRICK, G. J. 639
MORRIS, P. *see* MEAKIN, G. 171
MOSELEY, H. *see* SHANKAR, K. B., (*C*) 118; (*C*) 480
MOSTAFA, S. M. *see* BAINTON, R., (*C*) 116; BARDOSI, L. 461; GANTA, R. 854
MOTT, J. *see* GRONERT, G. A. 253
MOXHAM, J. *see* LANIGAN, C. 736
MÜLLER, H. *see* ADAMS, H.-A. 645
MUNISHANKARAPPA, S. *see* SEMPLE, A. J. 632

NAKAZAWA, K. and AMAHA, K. Effect of nicardipine hydrochloride on regional hypoxic pulmonary vasoconstriction 547
NARANG, V. P. S. and LINTER, S. P. K. Failure of extradural blockade in obstetrics 402
NEFF, R. *see* BORGEAT, A. 733
NELSON, T. C. Suxamethonium and MHS muscle, (*C*) 596
NEUBERGER, J. M. *see* WARK, H., (*C*) 747
NEWTON, D. E. F., THORNTON, C., CREAGH-BARRY, P. and DORÉ, C. Auditory evoked response in anaesthesia: effect of nitrous oxide, (*ARS*) 336P
NIBLETT, D. J., CANNON, D. and SYKES, M. K. Effects of altered patterns of ventilation and of increased cardiac output on blood flow to a collapsed lung in anaesthetized, closed-chest dogs 198
NIELSEN, J. W. *see* HARALDSTED, V. Y. 491
NIGROVIC, V., KIDNEY, S., PANDYA, J. B., WEATHERLEY, B. C. and WARD, S. Pharmacokinetics of atracurium metabolites, (*C*) 477
NILSSON, A. *see* PERSSON, M. P. 755
NIMMO, W. S. *see* DALE, S., (*ARS*) 341P; DUTHIE, D. J. R. 614; KIRKPATRICK, T. 146; PEACOCK, J. E., (*ARS*) 342P; ROWBOTHAM, P., (*E*) 127; WALKER, D. A. J., (*E*) 483
NISSEN, L. R. *see* MALLING, B. V. G. 426
NORMAN, J. and SYKES, M. K. Assessment of myocardial function, (*E*) 1S
NORTHWOOD, D. *see* KIRBY, I. J. 384
NORTON, M. L. *see* VAN DER SPEK, A. F. L. 709
NUNN, J. F. *see* WEBSTER, N. R. 98
NUWER, M. *Evoked Potential Monitoring in the Operating Room*, 1st Edn, (*R*) 123

O'BOYLE, C. A., BARRY, H., FOX, E., McCREARY, C. and BEWLEY, A. Controlled comparison of a new sublingual lormetazepam formulation and i.v. diazepam in outpatient minor oral surgery 419
O'CONNOR, M. and SEAR, J. W. Sufentanil as supplement to nitrous oxide in oxygen anaesthesia, (*ARS*) 340P
OHTA, Y. *see* TOKIOKA, H. 582
OLKKOLA, K. T. *see* MAUNUKSELA, E.-L. 48
OLSHWANG, D. *see* ELDOR, J., (*C*) 121

ØRDING, H. Diagnosis of susceptibility to malignant hyperthermia in man 287
ØRDING, H. and FONSMARK, L. Use of vecuronium and doxapram in patients susceptible to malignant hyperthermia 445
ORDMAN, A. J. *see* BARCROFT, J. P., (*ARS*) 332P
ORR, I. A. *see* MATHEWS, H. M. L. 530
OSTHEIMER, G. W. *see* DATTA, S., (*R*) 352
O'SULLIVAN, E. P., WILLIAMS, N. E. and CALVEY, T. N. Differential effects of neuromuscular agents on suxamethonium-induced fasciculations and myalgia 367
O'SULLIVAN, K. *see* FITZPATRICK, G., (*ARS*) 340P

PANDYA, J. B. *see* NIGROVIC, V., (*C*) 477
PARBROOK, G. D. *see* MCMENEMIN, I. M. 56
PARK, G. R. *see* QUINN, K. G., (*C*) 348
PARRY, P. *see* MOORES, M. A. 542
PAUCA, A. L. Upper limb blood flow during hexamethonium-induced hypotension. *Studies in Patients Anaesthetized with Halothane* 151
PAUL, D. *see* HUSSEY, A. J. 130; WILDSMITH, J. A. W., (*ARS*) 334P
PEACOCK, J. E., HENDERSON, P. D. and NIMMO, W. S. Pupillary changes after codeine by mouth, (*ARS*) 342P
PEARCE, A. C. *see* GALLAGHER, W. J. 112; POWER, S. J. 486
PEARCE, N. H. *see* RITCHIE, P. A. 859
PEEBLES-BROWN, D. A. *see* WORSLEY, M. H. 836
PERSSON, M. P., NILSSON, A. and HARTVIG, P. Pharmacokinetics of alfentanil in total i.v. anaesthesia 755
PITHER, C. E., BRIDENBAUGH, L. D. and REYNOLDS, F. Preoperative intercostal nerve block: effect on the endocrine metabolic response to surgery 730
PLANTEVIN, O. M. *see* SENGUPTA, P. 570
POLLARD, B. J. Accelerating neuromuscular blockade, (*ARS*) 326P
POLLARD, B. J. *see* HARPER, N. J. N., (*ARS*) 344P; MIDDLETON, C. M., (*ARS*) 323P
POLLOCK, E. M. M., POLLOCK, J. C. S., JAMIESON, M. P. G., BEASTALL, G. S., WRIGHT, C., TORSNEY, B. and MCNICOL, L. R. Adrenocortical hormone concentrations in children during cardiopulmonary bypass with and without pulsatile flow 536
POLLOCK, J. C. S. *see* POLLOCK, E. M. M. 536
PONTE, J. *see* LANIGAN, C., (*ARS*) 321P; 736
POTTER, C. J. F. Neuromuscular blockers before thiopentone, (*C*) 865
POWER, S. J., PEARCE, A. C. and JONES, R. M. Fade profiles during spontaneous offset of neuromuscular blockade: vecuronium and gallamine compared 486
POWER, S. J. *see* GALLAGHER, W. J. 112
POY, J. Y. *see* RACLE, J. P. 508; 831
DEL POZO, E. *see* SALVADOR, A. 495
PRIEBE, H.-J. The acute open-chest model 38S
PRIEBE, H.-J. *see* SKARVAN, K. 660
PRUETT, J. K. *see* REVES, J. G. 78S
PRYS-ROBERTS, C., COOPER, G. M. and HUTTON, P. Anaesthesia in the undergraduate medical curriculum, (*E*) 355
PRYS-ROBERTS, C., DAGNINO, J. and CHAUVIN, M. Continuous i.v. infusion of labetalol for postoperative hypertension, (*C*) 600
PRYS-ROBERTS, C. *see* ROBERTS, F. L., (*ARS*) 342P; WOODCOCK, T. E. 388
PURDIE, G. *see* GALLETLY, D. 520
PURI, G. D. and BATRA, Y. K. Effect of nifedipine on cardiovascular responses to laryngoscopy and intubation 579
PYE, D. W. *see* DRUMMOND, G. B., (*ARS*) 331P

QUINN, K. G., MANARA, A. R. and PARK, G. R. Failure to demonstrate *in vitro* metabolism of morphine in whole blood and plasma, (*C*) 348

RACLE, J. P., BENKHADRA, A. and POY, J. Y. Subarachnoid anaesthesia produced by hyperbaric lignocaine in elderly patients. *Prolongation of Effect with Adrenaline* 831
RACLE, J. P., BENKHADRA, A., POY, J. Y. and GLEIZAL, B. Spinal analgesia with hyperbaric bupivacaine: influence of age 508
RADFORD, S. *see* ANDERSON, S., (*ARS*) 328P
RAMSAY, J. G. *see* LEONE, B. J. 671
RAY, D. C. and DRUMMOND, G. B. Effect of nicardipine on glutathione S-transferase release following halothane anaesthesia, (*ARS*) 335P
RAY, D. C. *see* HUSSEY, A. J. 130
REDFERN, N. *see* HEATH, M. L., (*C*) 477
REDMAN, K. *see* LUNKENHEIMER, P. P. 2S; THEISSEN, J. L. 72S
REICHELT, W. *see* HOSIE, H. E. 18; INOUE, K. 10
REILLY, C. S., MERRELL, J., WOOD, A. J. J., KOSHAKJI, R. P. and WOOD, M. Comparison of the effects of isoflurane or fentanyl–nitrous oxide anaesthesia on propranolol disposition in dogs 791
REIS, J. and MAGALHAËS, P. An unusual complication, (*C*) 243
REVES, J. G. and PRUETT, J. K. Use of the Walton–Brodie strain gauge arch to measure contractile force during anaesthesia 78S
REYNOLDS, F. *see* LAISHLEY, R. S. 180; (*ARS*) 330P; PITHER, C. E. 730
RIDLEY, S. A. and HATCH, D. J. Post-tetanic count and profound neuromuscular blockade with atracurium infusion in paediatric patients 31
RITCHIE, P. A., CHESHIRE, M. A. and PEARCE, N. H. Decontamination of halothane from anaesthetic machines achieved by continuous flushing with oxygen 859
ROBERTS, F. L., DIXON, J., LEWIS, G. T. R., PRYS-ROBERTS, C. and HARVEY, J. R. A manually-controlled infusion scheme for propofol, (*ARS*) 342P
ROBINSON, D. A. *see* SMITH, G. B. 703
ROGERS, P. *see* STACK, C. G. 222
ROLLY, G. *see* HERREGODS, L. 565
ROONEY, S. M. *see* HOWLAND, W. S., (*R*) 868
ROSEN, J. *see* JACOBSON, J. 623
ROSEN, J. I. *see* SINGLETON, M. A. 619
ROSEN, M. and LUNN, J. N., (editors) *Consciousness, Awareness and Pain in General Anaesthesia*, (*R*) 868
ROSEN, M. *see* ISAAC, P. A., (*ARS*) 338P
ROSENBERG, H. Clinical presentation of malignant hyperthermia 268
ROSENTHAL, M. *see* BAKER, J. A., (*ARS*) 339P
ROTH, S. H. *see* MACIVER, M. B. 680
ROWBOTHAM, D. J. *see* DALE, S., (*ARS*) 341P; DUTHIE, D. J. R. 614
ROWBOTHAM, P. and NIMMO, W. S. The risk of adverse reactions in anaesthesia, (*E*) 127
ROWLANDS, D. E. *see* STIRTON-HOPKINS, C., (*C*) 597
RUNCIMAN, W. B. *see* LEONE, B. J. 671
RUSHMAN, G. B. *see* ATKINSON, R. S., (*R*) 749
RYDER, W. A. *see* CUTFIELD, G. R. 784; LEONE, B. J. 671

SAARNIVAARA, L. *see* LINDGREN, L. 176
SALMENPERÄ, M. *see* HYNYNEN, M., (*C*) 245
SALVADOR, A., DEL POZO, E., CARLOS, R. and BAEYENS, J. M. Differential effects of calcium channel blocking agents on pancuronium- and suxamethonium-induced neuromuscular blockade 495
SAMUELS, T. A. *see* LOVETT, M. C., (*ARS*) 333P
SANDHARI, B. K., MALTBY, J. R., GORESKY, G. and STRUNIN, L. Preoperative fluids and ranitidine in children, (*ARS*) 324P
SAUNDERS, N. J. and LEVY, C. J. Opioid premedication and biliary colic (the first indication of biliary pathology), (*C*) 348

SCHILLER, N. B. *see* CAHALAN, M. K. 99S
SCHUMAN, S. *see* DALE, O. 692
SCOTT, D. B. *see* LEE, A. 845; MITCHELL, R. W. D. 851
SEAR, J. W. *see* O'CONNOR, M., (*ARS*) 340P
SEMPLE, A. J., MACRAE, D. J., MUNISHANKARAPPA, S., BURROW, L. M., MILNE, M. K. and GRANT, I. S. Effect of the addition of adrenaline to extradural diamorphine analgesia after Caesarean section 632
SENGUPTA, P. and PLANTEVIN, O. M. Nitrous oxide and day-case laparoscopy: effects on nausea, vomiting and return to normal activity 570
SERVIN, F. *see* TROUVIN, J.-H. 762
SEVERINGHAUS, J. W. and ASTRUP, P. B., (editors) *History of Blood Gas Analysis. International Anaesthesiology Clinics.* Vol. 25, No. 4, (*R*) 749
SEYMOUR, G. *Medical Assessment of the Elderly Surgical Patient*, (*R*) 123
SHANKAR, K. B., MOSELEY, H., MACCOSKIE, S., KUMAR, Y., MECKLENBURGH, J. S., LATTO, I. P. and MAPLESON, W. W. Continuous flow ventilators in the ICU, (*C*) 118; IMV ventilators and work of rebreathing, (*C*) 480
SHARBROUGH, F. W. *see* LANIER, W. L. 74
SHAW, E. A. *see* MEAKIN, G. 171
SHEPHERD, W. F. I. *see* MIRAKHUR, R. K. 379
SHNIDER, M. R. *see* GORMAN, E. S. 439
SICARD, J. F. *see* GAUDY, J. H. 456
SILKE, B. *see* TAYLOR, S. H. 90S
SIMPSON, D. *see* LEE, A. 845
SIMPSON, K. H., DEARDEN, M. J., ELLIS, F. R. and JACK, T. M. Premedication with slow release morphine (MST) and adjuvants 825
SIMPSON, K. H., MADEJ, T. H., MCDOWELL, J. M., MACDONALD, R. and LYONS, G. Comparison of extradural buprenorphine and extradural morphine after Caesarean section 627
SIMPSON, K. H., STAKES, A. F. and MILLER, M. Pregnancy delays paracetamol absorption and gastric emptying in patients undergoing surgery 24
SIMPSON, K. H. *see* CHATER, S. N. 70; SOSIS, M., (*C*) 118
SINGLETON, M. A., ROSEN, J. I. and FISHER, D. M. Pharmacokinetics of fentanyl in the elderly 619
SJÖSTRÖM, S., HARTVIG, P. and TAMSEN, A. Patient-controlled analgesia with extradural morphine or pethidine 358
SKARVAN, K. and PRIEBE, H.-J. Cardiovascular effects of diltiazem in the dog 660
SLEYFER, D. T. *see* BLOM-MUILWIJK, M. C. 91
SMITH, G. Editorial changes in *British Journal of Anaesthesia*, (*E*) 1; Ninth World Congress of Anaesthesiology, (*E*) 605
SMITH, G. B., WILSON, G. R., CURRY, C. H., MAY, S. N., ARTHURSON, G. M., ROBINSON, D. A. and CROSS, G. D. Predicting successful brachial plexus block using changes in skin electrical resistance 703
SMITH, J. E. Cardiovascular changes during fibreoptic intubation, (*ARS*) 328P
SMITH, M., CORFIELD, D. R. and TREASURE, T. Effect of beta-1 and beta-2 blockade on isoprenaline induced hypokalaemia in dogs, (*ARS*) 320P
SMITH, R. B. *see* BREADY, L. L., (*R*) 352
SMITH, R. J. Preoperative assessment of risk factors 317
SNOOK, M. *see* BAKER, J. A., (*ARS*) 339P
DE SOMMER, M. *see* HERREGODS, L. 565
SONI, N. *see* BRUCE, W., (*ARS*) 341P
SOPHIE, S. *see* THIAGARAJAH, S. 151
SOSIS, M., MADEJ, T. H. and SIMPSON, K. H. Nausea, vomiting and fentanyl, (*C*) 118
SPARGO, P. M. *see* VAN DER SPEK, A. F. L. 709
SPENCE, A. A. Sixty-five and going strong! *British Journal of Anaesthesia* reaches another landmark, (*E*) 605; The lessons of CEPOD, (*E*) 753
SPENCE, A. A. *see* ASSCHER, A. W., (*C*) 479
SPIERDIJK, J. *see* VEERING, B. T. 187
SPOELSTRA, A. J. G. *see* YOUNG, J. D., (*C*) 743
STACK, C. G., ABERNETHY, M. H. and THACKER, M. Atracurium for ECT in plasma cholinesterase deficiency, (*C*) 244
STACK, C. G., ROGERS, P. and LINTER, S. P. K. Monoamine oxidase inhibitors and anaesthesia. *A Review* 222
STAKES, A. F. *see* SIMPSON, K. H. 24
STANLEY, T. H. Species differences 116S
VAN STEENNIS, C. *see* HOLLY, F. O. 608
STIRTON-HOPKINS, C., FISHER, M. and ROWLANDS, D. E. Life-threatening reaction to atracurium, (*C*) 597
STOCKS, J. *see* EWART, M. C., (*ARS*) 320P
STOLARSKI, L. *see* HOSIE, H. E. 18; INOUE, K. 10
STOW, P. J., MCLEOD, M. E., BURROWS, F. A. and CREIGHTON, R. E. Anterior fontanelle pressure response to tracheal intubation in the awake and anaesthetized infant 167
STRINGER, M. *see* SURY, M. R. J. 797
STROH, N. *see* THEISSEN, J. L. 72S
STRUNIN, L. *see* SANDHARI, B. K., (*ARS*) 324P
SURY, M. R. J., DONALDSON, M. D. J. and COLE, P. V. Comparison of trimetaphan nitroprusside and sodium nitroprusside in greyhounds, (*ARS*) 336P
SURY, M. R. J., DONALDSON, M. D. J., STRINGER, M., VESEY, C. J. and COLE, P. V. Cardiovascular actions of trimetaphan nitroprusside. *Comparison with Sodium Nitroprusside in Greyhounds* 797
SWERDLOW, M., (editor) *The Therapy of Pain* Second Edition, (*R*) 353
SYKES, M. K. *see* CANNON, D. 81; 430; JORDAN, M. J., (*C*) 746; NIBLETT, D. J. 198; NORMAN, J., (*E*) 1S
SYNNOTT, A. J. *see* FITZPATRICK, G., (*ARS*) 340P

TAKAHASHI, T. *see* TOKIOKA, H. 582
TAMSEN, A. *see* SJÖSTRÖM, S. 358
TAMSMA, T. J. A. *see* YOUNG, J. D., (*C*) 743
TARENZI, L. *see* DAMIA, G. 574
TARNOW, J. Clinical possibilities and limitations of techniques assessing the effects of anaesthetics on myocardial function 52S
TAYLOR, S. H. and SILKE, B. Is the measurement of cardiac output useful in clinical practice? 90S
THACKER, M. *see* STACK, C. G., (*C*) 244
THEINER, A. *see* MITTERSCHIFFTHALER, G. 109
THEISSEN, J. *see* LUNKENHEIMER, P. P. 2S
THEISSEN, J. L., LUNKENHEIMER, P. P., REDMAN, K., FRIELING, G. and STROH, N. Local forces in the myocardium 72S
THEOPHILUS, S. W. J. *see* MAY, A. E., (*C*) 243
THIAGARAJAH, S., SOPHIE, S., LEAR, E., AZAR, I. and FROST, E. A. M. Effect of suxamethonium on the ICP of cats with and without thiopentone pretreatment 151
THOMAS, D. I. and AITKENHEAD, A. R. Relationship between lower oesophageal contractility and level of surgical stimulation, (*ARS*) 337P
THOMAS, T. A. *see* THORNBERRY, E. A. 195
THOMSON, D. A. *see* ZBINDEN, A. M. 395
THORNBERRY, E. A. and THOMAS, T. A. Posture and post-spinal headache. *A Controlled Trial in 80 Obstetric Patients* 195
THORNTON, C., KONIECZKO, K., JONES, J. G., JORDAN, C., DORÉ, C. J. and HENEGHAN, C. P. H. Effect of surgical stimulation on the auditory evoked response 372
THORNTON, C. *see* NEWTON, D. E. F., (*ARS*) 336P
TINDAL, S. *see* CHAN, V. W. S. 464
TOKIOKA, H., TAKAHASHI, T., KOSOGABE, Y., OHTA, Y. and KOSAKA, F. Use of diltiazem to control circulatory fluctuations during resection of a phaeochromocytoma 582

TØNNESEN, E. and WAHLGREEN, C. Influence of extradural and general anaesthesia on natural killer cell activity and lymphocyte subpopulations in patients undergoing hysterectomy 500
TORSNEY, B. *see* POLLOCK, E. M. M. 536
TOTHILL, P. *see* DRUMMOND, G. B., (*ARS*) 331P
TREASURE, T. *see* SMITH, M., (*ARS*) 320P
TREMPER, K. K. and BARKER, S. J., (editors) *Advances in Oxygen Monitoring*, (*R*) 601
TROUVIN, J.-H., FARINOTTI, R., HABERER, J.-P., SERVIN, F., CHAUVIN, M. and DUVALDESTIN, P. Pharmacokinetics of midazolam in anaesthetized cirrhotic patients 762
TUCKER, G. T. *see* MACLEAN, D. 136
TUNSTALL, M. E. *see* WILLIAMSON, R., (*C*) 476
TURNER, J. M. *see* CAMPKIN, T. V., (*R*) 247

VAN AKEN, H. and VANDERMEERSCH, E. Reliability of PCWP as an index for left ventricular preload 85S
VANDERMEERSCH, E. *see* VAN AKEN, H. 85S
VAN DER SPEK, A. F. L., SPARGO, P. M. and NORTON, M. L. The physics of lasers and implications for their use during airway surgery 709
VANHAECKE, J. *see* FLAMENG, W. 14S
VARONOS, D. *see* FASSOULAKI, A., (*ARS*) 330P
VEERING, B. T., BURM, A. G. L. and SPIERDIJK, J. Spinal anaesthesia with hyperbaric bupivacaine. *Effects of Age on Neural Blockade and Pharmacokinetics* 187
VENINGA, T. S. *see* BLOM-MUILWIJK, M. C. 91
VESEY, C. J. *see* IVANKOVICH, A. D., (*C*) 744; SURY, M. R. J. 797
VIELI, A. Doppler flow determination 107S
VINCENT, J. L. Measurement of ventricular ejection fraction in the acutely ill 113S
VRIESENDORP, R. *see* BLOM-MUILWIJK, M. C. 91

WADE, A. *see* DODDS, C., (*ARS*) 343P
WAHLGREEN, C. *see* TØNNESEN, E. 500
WALKER, D. A. J. and NIMMO, W. S. Non-invasive methods for measuring gastric emptying, (*E*) 483
WARD, S. *see* NIGROVIC, V., (*C*) 477
WARDLEY-SMITH, B., LITTLE, H. J. and HALSEY, M. J. Lack of correlation between the anaesthetic and anticonvulsant potencies of Althesin, ketamine and methohexitone 140
WARDLEY-SMITH, B. *see* HUNTER, A. B., (*ARS*) 339P
WARK, H., KENNA, J. G., WILLIAMS, R. and NEUBERGER, J. M. Diagnostic test for halothane hepatitis, (*C*) 747
WEATHERILL, D. *see* ELTON, R. A., (*ARS*) 335P
WEATHERLEY, B. C. *see* NIGROVIC, V., (*C*) 477
WEBSTER, N. R. and NUNN, J. F. Molecular structure of free radicals and their importance in biological reactions 98
WELDING, R. N. *see* LEONE, B. J. 671
WELLER, R. *see* ZORAB, J. S. M., (*R*) 749
WENSTONE, R. *see* BARDOSI, L. 461
WESTENSKOW, D. R. *see* ZBINDEN, A. M. 395
WHIMSTER, W. F. *see* LUNKENHEIMER, P. P. 2S
WHITE, D. C. An approach to the measurement of depth of anaesthesia, (*ARS*) 338P
WHITE, D. C. *see* BAKER, J. A., (*ARS*) 339P
WHITFIELD, A. *see* LEE, A. 845
WHITTAKER, M. *see* EVANS, R. T., (*C*) 866
WIERINGA, R. A. *see* BLOM-MUILWIJK, M. C. 91
WILDSMITH, J. A. W., BROWN, D. T. and PAUL, D. Differential nerve blockade: the amino-acyl-amides, (*ARS*) 334P
WILDSMITH, J. A. W. *see* MACLEAN, D. 136
WILKES, R. G. *see* BARDOSI, L. 461
WILLIAMS, G. M. E. *see* HATCH, D. J. 232
WILLIAMS, N. E. *see* O'SULLIVAN, E. P. 367
WILLIAMS, R *see* WARK, H., (*C*) 747
WILLIAMSON, R., TUNSTALL, M. E. and GEDDES, C. Emergency Caesarean section—tracheal intubation or oesophageal gastric tube airway?, (*C*) 476
WILLIS, N., MAPLESON, W. W. and CLAPHAM, M.C.C. Additional blood–gas variables for the rational control of oxygen therapy. Corrigendum, (*C*) 243
WILSON, A. *see* HARPER, N. J. N., (*ARS*) 344P
WILSON, G. R. *see* SMITH, G. B. 703
WILSON, I. Extradural test doses in labour, (*C*) 117
WISHART, H. Y. *see* WORSLEY, M. H. 836
WOOD, A. J. J. *see* REILLY, C. S. 791
WOOD, M. *see* REILLY, C. S. 791
WOODCOCK, T. E., MILLARD, R. K., DIXON, J. and PRYS-ROBERTS, C. Clonidine premedication for isoflurane-induced hypotension. *Sympathoadrenal Responses and a Computer-Controlled Assessment of the Vapour Requirement* 388
WOOLFSON, A. D. *see* MCCAFFERTY, D. F. 64
WORSLEY, M. H., WISHART, H. Y., PEEBLES-BROWN, D. A. and AITKENHEAD, A. R. High spinal nerve block for large bowel anastomosis. *A Prospective Study* 836
WRIGHT, C. *see* POLLOCK, E. M. M. 536
WYLD, R. *see* DUTHIE, D. J. R. 614

YATES, A. P. *see* MORGAN-HUGHES, J. O., (*C*) 867
YATES, A. P. B. Pulmonary blood flow during closed heart surgery. *Use of a Modified $\dot{Q}p/\dot{Q}s$ Ratio to Assess Adequacy of Palliation of Systemic–Pulmonary Artery Shunts* 768
YOUNG, J. D., SPOELSTRA, A. J. G. and TAMSMA, T. J. A. High frequency jet ventilation, (*C*) 743
YOUSSEF, M. S. and DESGRAND, D. A. Comparison of two methods of axillary brachial plexus anaesthesia 841

ZBINDEN, A. M., THOMSON, D. A., WESTENSKOW, D. R., FREI, F. and MAERTENS, J. Anaesthetic uptake and elimination: is there a difference between halothane and isoflurane in the dog? 395
ZIMPFER, M. Chronic instrumentation techniques for haemodynamic measurements 47S
ZORAB, J. S. M. and WELLER, R., (editors) *Lectures in Anaesthesiology* 1987/2, (*R*) 749
ZWAVELING, A. *see* BOEKE, S. 697

SUBJECT INDEX

Accidental dural punctures, avoidance, GALEA, P. J., (*C*) 347

Accudynamic, for improvement in measuring arterial pressure using catheter–transducer systems, ALLAN, M. W. B., *et al.* 413

Achondroplasia, and anaesthetic management, MAYHEW, J. F., (*C*) 599

Acromegaly, management of anaesthesia for transsphenoidal surgery in a true pituitary giant with acromegaly, CHAN, V. W. S., *et al.* 464

ACTH, and plasma cortisol were measured in children undergoing cardiopulmonary bypass with and without pulsatile arterial flow, POLLOCK, E. M. M., *et al.* 536

Acute closed-chest canine model, for anaesthesia research, KAPUR, P. A. 42S

Acute MH episode, biochemical aspects, HEFFRON, J. J. A. 274

Acute open-chest model, PRIEBE, M.-J. 38S

Acute phase proteins, after cholecystectomy, ANDERSON, S., *et al.*, (*ARS*) 328P

Additional blood-gas variables, for the rational control of oxygen therapy. Corrigendum, WILLIS, N., *et al.*, (*C*) 243

Adjustable infusion rates, to maintain a constant 95% neuromuscular blockade with pancuronium and atracurium, HARALDSTED, V. Y., *et al.* 491

Adrenaline, effect of the addition to extradural diamorphine analgesia after Caesarean section, SEMPLE, A. J., *et al.* 632

——, effect on extradural anaesthesia and plasma bupivacaine concentrations during Caesarean section, LAISHLEY, R. S., *et al.* 180

——, effects on placental transfer of bupivacaine in rabbits, LAISHLEY, R. S., *et al.*, (*ARS*) 330P

——, for prolongation of subarachnoid anaesthesia produced by hyperbaric lignocaine in elderly patients, RACLE, J. P., *et al.* 831

——, in a solution with lignocaine, influence of dextran on the absorption. *A Protective Mechanism in Local Anaesthesia*, ADAMS, H.-A., *et al.* 645

Adrenocortical hormone concentrations, in children during cardiopulmonary bypass with and without pulsatile flow, POLLOCK, E. M. M., *et al.* 536

Advances in Oxygen Monitoring, TREMPER, K. K., *et al.*, (editors), (*R*) 601

Adverse reactions, risk of, in anaesthesia, ROWBOTHAM, P., *et al.*, (*E*) 127

Aetiology, of malignant hyperthermia, GRONERT, G. A., *et al.* 253

Age, effects on neural blockade and pharmacokinetics of spinal anaesthesia with hyperbaric bupivacaine, VEERING, B. T., *et al.* 187

——, influence on spinal analgesia with hyperbaric bupivacaine, RACLE, J. P., *et al.* 508

Airway, assessment of a new nasopharyngeal airway, GALLAGHER, W. J., *et al.* 112

Airway surgery, the physics of lasers and implications for their use during airway surgery, VAN DER SPEK, A. F. L., *et al.* 709

Albumin, interactions with volatile anaesthetics: rat liver slices *in vitro* and diazepam metabolism, DALE, O., *et al.* 692

Alcuronium, and tubocurarine, accelerating neuromuscular blockade, POLLARD, B. J., (*ARS*) 326P

——, before thiopentone, POTTER, C. J. F., (*C*) 865

Alfentanil, compared with propofol and isoflurane for outpatient anaesthesia for arthroscopy, HERREGODS, L., *et al.* 565

——, modification of the haemodynamic response to tracheal intubation in elderly patients. *A Dose–Response Study*, KIRBY, I. J., *et al.* 384

——, pharmacokinetics in total i.v. anaesthesia, PERSSON, M. P., *et al.* 755

——, to inhibit increase in intragastric pressure during suxamethonium-induced muscle fasciculations in children, LINDGREN, L., *et al.* 176

——, used for analgesia in two patients with severe muscle weakness, GANTA, R., *et al.* 854

Althesin, ketamine and methohexitone, lack of correlation between the anaesthetic and anti-convulsant potencies, WARDLEY-SMITH, B., *et al.* 140

Amethocaine, and lignocaine, comparative *in vivo* and *in vitro* assessment of percutaneous absorption, MCCAFFERTY, D. F., *et al.* 64

Amino-acyl-amides, and differential nerve blockade, WILDSMITH, J. A. W., *et al.*, (*ARS*) 334P

Amphetamines, pressure reversal of amphetamine-induced hyperactivity, HUNTER, A. B., *et al.*, (*ARS*) 339P

Anaesthesia, and monoamine oxidase inhibitors. *A Review*, STACK, C. G., *et al.* 222

——, for Caesarean section, HEATH, M. L., *et al.*, (*C*) 477

——, in the undergraduate medical curriculum, PRYS-ROBERTS, C., *et al.*, (*E*) 355

——, risk of adverse reactions, ROWBOTHAM, P., *et al.*, (*E*) 127

Anaesthesia Review 4, KAUFMAN, L., (editor), (*R*) 248

Anaesthesiology, Ninth World Congress, SMITH, G., (*E*) 605

Anaesthetic concentration, affects the amplitude of cortical waves in the AER, THORNTON, C., *et al.* 372

Anaesthetic effects, on left ventricular function transoesophageal two-dimensional echocardiographic evaluation, CAHALAN, M. K., *et al.* 99S

Anaesthetic elimination, distribution and uptake, is there a difference between halothane and isoflurane in the dog?, ZBINDEN, A. M., *et al.* 395

Anaesthetic experience, the view from below, MOORE, J. K. 239

Anaesthetic machines, investigated for decontamination of halothane achieved by continuous flushing with oxygen, RITCHIE, P. A., *et al.* 859

Anaesthetic management, of the achondroplastic dwarf, MAYHEW, J. F., (*C*) 599

——, of two patients with acute dermatomyositis and polymyositis respectively, GANTA, R., *et al.* 854

Anaesthetic uptake, distribution, and elimination, is there a difference between halothane and isoflurane in the dog?, ZBINDEN, A. M., *et al.* 395

Anaesthetics, clinical possibilities and limitations of techniques assessing the effects of anaesthetics on myocardial function, TARNOW, J. 52S

Anesthesia, Second Edition, MILLER, R. D., (EDITOR), (*R*) 248

Anesthesia and Organ Transplantation, GELMAN, S., (editor), (*R*) 247

Anesthesia and Transplantation Surgery, BROWN, B. R. JR, (editor), (*R*) 601

Anterior fontanelle pressure, response to tracheal intubation in the awake and anaesthetized infant, STOW, P. J., *et al.* 167

Anti-convulsant potencies, of Althesin, ketamine and methohexitone, lack of correlation between the anaesthetic and anti-convulsant potencies, WARDLEY-SMITH, B., *et al.* 140
Anti-neoplastic effect, synergistic effect of nitrous oxide and methotrexate, GILLMAN, M. A., (*C*) 349
Aortic blood flow, Doppler flow determination, VIELI, A. 107S
Apnoea, associated with intrathecal morphine in obstetrics, ABOULEISH, E. 592
"Arm-drop" test, and the priming principle, GOODRUM, D., (*C*) 122
Arterial pressure measurements, using catheter–inducer systems. *Improvement Using the Accudynamic*, ALLAN, M. W. B., *et al.* 413
Arthroscopy, in outpatients, comparison of propofol, alfentanil and isoflurane, HERREGODS, L., *et al.* 565
Asthma, and atracurium, a life-threatening reaction, STIRTON-HOPKINS, C., *et al.*, (*C*) 597
A Synopsis of Anaesthesia, 10th Edition, ATKINSON, R. S., *et al.*, (*R*) 749
Atracurium, and asthma and eczema, a life-threatening reaction, STIRTON-HOPKINS, C., *et al.*, (*C*) 597
——, and pancuronium, maintenance of constant 95% neuromuscular blockade by adjustable infusion rates, HARALDSTED, V. Y., *et al.* 491
——, and vecuronium following tubocurarine, MIDDLETON, C. M., *et al.*, (*ARS*) 323P
——, before thiopentone, POTTER, C. J. F., (*C*) 865
——, compared with pancuronium for recovery from neuromuscular blockade, HUTTON, P., *et al.* 36
——, effects after pancuronium, KAY, B., *et al.*, (*ARS*) 324P
——, for ECT in plasma cholinesterase deficiency, STACK, C. G., *et al.*, (*C*) 244
——, induced neuromuscular blockade, comparison in neonates, infants and children, MEAKIN, G., *et al.* 171
——, infusion in neonates, infants and children. *A Study of Dose Requirements*, KALLI, I., *et al.* 651
——, infusion to produce profound neuromuscular blockade, and post-tetanic count in paediatric patients, RIDLEY, S. A., *et al.* 31
——, neuromuscular blockade, evaluation in paediatric patients with burn injury, MILLS, A. K., *et al.* 450
——, pharmacokinetics of metabolites, NIGROVIC, V., *et al.*, (*C*) 477
——, stability in dilute solutions, HARPER, N. J. N., *et al.*, (*ARS*) 344P
——, towards practical automatic control of neuromuscular blockade, MACLEOD, A. D., *et al.*, (*ARS*) 327P
——, used for neuromuscular blockade in two patients with severe muscle weakness, GANTA, R., *et al.* 854
——, vecuronium or pancuronium, effects of pretreatment on lignocaine seizure threshold in cats, LANIER, W. L., *et al.* 74
Atropine, and glycopyrrolate, a double-blind study of postanaesthetic arousal time, MALLING, B. V. G., *et al.* 426
——, routine use in obstetric anaesthesia, MAY, A. E., *et al.*, (*C*) 243
Auditory evoked response, effect of surgical stimulation, THORNTON, C., *et al.* 372
——, in anaesthesia, effect of nitrous oxide and isoflurane, NEWTON, D. E. F., *et al.*, (*ARS*) 336P
Autonomic responses, were not correlated with changes in the auditory evoked response, THORNTON, C., *et al.* 372
Autoregulatory function, was tested with the hyperaemic response to coronary artery occlusions with isoflurane anaesthesia, CUTFIELD, G. R., *et al.* 784
Awareness, and depth of anaesthesia, and lower oesophageal contractions, ISAAC, P. A., *et al.*, (*ARS*) 338P
Awareness, effects of sounds presented during general anaesthesia on postoperative course, BOEKE, S., *et al.* 697
Axillary brachial plexus anaesthesia, comparison of two methods, YOUSSEF, M. S., *et al.* 841
Azygos vein, complications with correctly inserted central venous catheters, REIS, J., *et al.*, (*C*) 243

Basal anaesthesia, effects on cardiac function, DOURSOUT, M.-F., *et al.* 119S
Biliary colic, and opioid premedication, SAUNDERS, N. J., *et al.*, (*C*) 348
Biochemistry, of the acute episode of malignant hyperthermia, HEFFRON, J. J. A. 274
Blalock–Taussig shunt procedure, modified, adequacy of palliation by use of a modified $\dot{Q}p/\dot{Q}s$ ratio, YATES, A. P. B. 768
Bleomycin, treatment alone or in combination with hyperoxia, resulting in pulmonary toxicity in the rat, BLOM-MUILWIJK, M. C., *et al.* 91
Blockade, beta-1 and beta-2, effect on isoprenaline induced hypokalaemia in dogs, SMITH, M., *et al.*, (*ARS*) 320P
Blood cyanide, concentration decreased by sodium thiosulphate following sodium nitroprusside, IVANKOVICH, A. D., *et al.*, (*C*) 744
Blood flow, distribution to a hypoxic lung lobe, effects of the pattern of ventilation and of an increase in cardiac output, CANNON, D., *et al.* 81
——, to a collapsed lung in anaesthetized closed-chest dogs, effects of altered patterns of ventilation and of increased cardiac output, NIBLETT, D. J., *et al.* 198
Blood loss, was significantly lower in patients receiving spinal nerve block for large bowel anastomosis, WORSLEY, M. H., *et al.* 836
Blood loss measurement, during trans-urethral surgery, BAKER, J. A., *et al.*, (*ARS*) 339P
Blood transfusions, and colorectal cancer, FRANCIS, D. M. A., (*C*) 120
Blood volume distribution, changes associated with general anaesthesia, DRUMMOND, G. B., *et al.*, (*ARS*) 331P
Body size, effects on low-flow nitrous oxide–oxygen and nitrogen–oxygen circle systems, ELTON, R. A., *et al.*, (*ARS*) 335P
Bolus dose, initial of 0.5% followed by continuous infusion of 0.125% of bupivacaine for pain relief after lower abdominal surgery, MITCHELL, R. W. D., *et al.* 851
Book Reviews
1987 Year Book of Anaesthesia, MILLER, R. D., (editor), (*R*) 750
A Synopsis of Anaesthesia, 10th Edition, ATKINSON, R. S., *et al.*, (*R*) 749
Advances in Oxygen Monitoring, TREMPER, K. K., *et al.*, (editors), (*R*) 601
Anaesthesia Review 4, KAUFMAN, L., (editor), (*R*) 248
Anesthesia, Second Edition, MILLER, R. D., (editor), (*R*) 248
Anesthesia and Organ Transplantation, GELMAN, S., (editor), (*R*) 247
Anesthesia and Transplantation Surgery, BROWN, B. R. JR., (editor), (*R*) 601
Cardiac Anaesthesia, Second Edition, KAPLAN, J. A., (editor), (*R*) 123
Common Problems in Obstetric Anesthesia, DATTA, S., *et al.*, (editors), (*R*) 352
Companion to the F.F.A.R.C.S. Part III, CORKE, C. F., *et al.*, (*R*) 249
Consciousness, Awareness and Pain in General Anaesthesia, ROSEN, M., *et al.*, (editors), (*R*) 868

Decision Making in Anesthesiology, BREADY, L. L., *et al.*, (*R*) 352
Evoked Potential Monitoring in the Operating Room, 1st Edn, NUWER, M., (*R*) 123
History of Blood Gas Analysis. International Anaesthesiology Clinics. Vol. 25, No. 4, SEVERINGHAUS, J. W., *et al.*, (editors), (*R*) 749
Lectures in Anaesthesiology 1987/2, ZORAB, J. S. M., *et al.*, (editors), (*R*) 749
Manual of Anethesia in Cancer Care, HOWLAND, W. S., *et al.*, (*R*) 868
Medical Assessment of the Elderly Surgical Patient, SEYMOUR, G., (*R*) 123
Neurosurgical Anaesthesia and Intensive Care, Second Edition, CAMPKIN, T. V., *et al.*, (*R*) 247
Renal Physiology: Principles, Structure and Function, Second Edition, KOUSHANPOUR, E., *et al.*, (*R*) 352
Sickle-Cell Anemia and Thalassemia: A Primer for Health Care Professionals, HUNTSMAN, R. G., (*R*) 602
The Therapy of Pain Second Edition, SWERDLOW, M., (editor), (*R*) 353
Boyle International Mk. 2, anaesthetic machine investigated for halothane contamination, RITCHIE, P. A., *et al.* 859
Boyle Mk. 2000, anaesthetic machine investigated for halothane contamination, RITCHIE, P. A., *et al.* 859
Boyle Mk. M, anaesthetic machine investigated for halothane contamination, RITCHIE, P. A., *et al.* 859
Brachial plexus block, predicting successful block using changes in skin electrical resistance, SMITH, G. B., *et al.* 703
Brachial plexus blockade, plasma prilocaine concentrations after three techniques of brachial plexus blockade, MACLEAN, D., *et al.* 136
Bradycardia, induced by vecuronium following induction of anaesthesia with etomidate or thiopentone, with or without fentanyl, INOUE, K., *et al.* 10
Breathing systems, Enclosed Afferent Reservoir (EAR), description and clinical evaluation, MILLER, D. M., *et al.* 469
——, for use in anaesthesia. *Evaluation Using a Physical Lung Model and Classification*, MILLER, D. M. 555
British Journal of Anaesthesia, editorial changes, SMITH, G., (*E*) 1
——, reaches another landmark, SPENCE, A. A., (*E*) 605
Bupivacaine, and diamorphine as an extradural infusion for postoperative analgesia, LEE, A., *et al.* 845
——, and lignocaine, effects on regional myocardial function and coronary blood flow in anaesthetized dogs, LEONE, B. J., *et al.* 671
——, compared with ropivacaine and mepivacaine, differential nerve blockade, WILDSMITH, J. A. W., *et al.*, (*ARS*) 334P
——, continuous postoperative extradural infusion, and unpredictability of regression of analgesia, MOGENSEN, T., *et al.* 515
——, effect of adrenaline on placental transfer in rabbits, LAISHLEY, R. S., *et al.*, (*ARS*) 330P
——, hyperbaric for spinal anaesthesia. *Effects of Age on Neural Blockade and Pharmacokinetics*, VEERING, B. T., *et al.* 187
——, hyperbaric, for spinal analgesia: influence of age, RACLE, J. P., *et al.* 508
——, initial bolus of 0.5% and then continuous infusion of 0.125% for pain relief after lower abdominal surgery, MITCHELL, R. W. D., *et al.* 851
——, plasma concentrations, and extradural anaesthesia, effect of adrenaline during Caesarean section, LAISHLEY, R. S., *et al.* 180
Bupivacaine–diamorphine mixture, as an extradural infusion for postoperative analgesia, LEE, A., *et al.* 845
Buprenorphine, and morphine, a double-blind multiple-dose comparison in postoperative pain in children, MAUNUKSELA, E.-L., *et al.* 48
——, and pethidine in the conscious rabbit, influence of pretreatment with an MAOI (phenelzine) on the effects of opiates, MACKENZIE, J. E., *et al.* 216
——, extradural, compared with extradural morphine after Caesarean section, SIMPSON, K. H., *et al.* 627
Burn injury, in paediatric patients, evaluation of atracurium neuromuscular blockade, MILLS, A. K., *et al.* 450

Caesarean section, anaesthesia for, HEATH, M. L., *et al.*, (*C*) 477
——, and general anaesthesia, JENKINS, J. G., *et al.*, (*C*) 747
——, comparison of extradural buprenorphine and extradural morphine after elective Caesarean section, SIMPSON, K. H., *et al.* 627
——, effect of adrenaline on extradural anaesthesia and plasma bupivacaine concentrations during Caesarean section, LAISHLEY, R. S., *et al.* 180
——, effect of the addition of adrenaline to extradural diamorphine analgesia after Caesarean section, SEMPLE, A. J., *et al.* 632
——, emergency, tracheal intubation or oesophageal gastric tube airway?, WILLIAMSON, R., *et al.*, (*C*) 476
——, grand mal seizure after extradural morphine analgesia, BORGEAT, A., *et al.* 733
Calcium channel blocking agents, differential effects on pancuronium- and suxamethonium-induced neuromuscular blockade, SALVADOR, A., *et al.* 495
Calcium chloride, did not reverse the haemodynamic or electrophysiological effects of diltiazem, GRIFFIN, R. M., *et al.* 655
Canine closed-chest model, acute, for anaesthesia research, KAPUR, P. A. 42S
Cannula, i.v. modified, used for nerve stimulation, HANSEN, M., *et al.*, (*C*) 347
Cannulation, of the subclavian vein, resulting in contralateral haemothorax as a late complication, BARDOSI, L., *et al.* 461
Carbon dioxide production, and ventilatory efficiency during controlled ventilation in children with cyanotic heart disease, FLETCHER, R., (*ARS*) 332P
Cardiac Anaesthesia, Second Edition, KAPLAN, J. A., (editor), (*R*) 123
Cardiac function, effects of basal anaesthesia, DOURSOUT, M.-F., *et al.* 119S
——, is biochemistry the index of the functional state of the heart?, ISSELHARD, W. 23S
Cardiac output, hypoxic pulmonary vasoconstriction responses with nicardipine were assessed during constant cardiac output, NAKAZAWA, K., *et al.* 547
——, increase, and pattern of ventilation, effects on the distribution of blood flow to a hypoxic lung lobe, CANNON, D., *et al.* 81
——, increased and altered patterns of ventilation, effects of blood flow to a collapsed lung in anaesthetized closed-chest dogs, NIBLETT, D. J., *et al.* 198
——, increased, effects on pulmonary blood flow distribution during lobar ventilation hypoxia and collapse, CANNON, D., *et al.* 430
——, measurement, is it useful in clinical practice?, TAYLOR, S. H., *et al.* 90S
Cardiac output measurements, Doppler flow determination, VIELI, A. 107S
Cardiac surgery, intrathecal morphine compared with i.v. in the management of pain following cardiac surgery, FITZPATRICK, G. J., *et al.* 639

Cardiac surgery, slow-release metoclopramide (Gastrobid) in the perioperative period, CLAFFEY, L. P., *et al.*, (*ARS*) 339P
Cardiff Palliator Patient Controlled analgesia apparatus, for demand of postoperative morphine, effect of diclofenac and nefopam, GOUCKE, C. R., *et al.*, (*ARS*) 333P
Cardiopulmonary bypass, and supplementary isoflurane, DUNNE, N. M., *et al.*, (*ARS*) 323P
——, use in studies of the circulation, LEVY, J. H., *et al.* 35S
——, with and without pulsatile flow, in children, adrenocortical hormone concentrations, POLLOCK, E. M. M., *et al.* 536
Cardiovascular actions, of trimetaphan nitroprusside compared with sodium nitroprusside in greyhounds, SURY, M. R. J., *et al.* 797
Cardiovascular changes, during fibreoptic intubation, SMITH, J. E., (*ARS*) 328P
Cardiovascular effects, of diltiazem during fentanyl–nitrous oxide anaesthesia, GRIFFIN, R. M., *et al.* 655
Cardiovascular responses, to laryngoscopy and intubation, effect of nifedipine, PURI, G. D., *et al.* 579
Catheter erosion, of vessel walls, BARROWCLIFFE, M. P., (*C*) 350
Catheter–transducer systems, for measuring arterial pressure. *Improvement Using the Accudynamic*, ALLAN, M. W. B., *et al.* 413
Cats, effect of suxamethonium on the ICP with and without thiopentone pretreatment, THIAGARAJAH, S., *et al.* 151
——, effects of atracurium, vecuronium or pancuronium pretreatment on lignocaine seizure threshold in cats, LANIER, W. L., *et al.* 74
——, rate of induction of hypotension with trimetaphan modifies the intracranial pressure response in cats, KARLIN, A., *et al.* 161
Central core disease, (CCD), relationship to MH, BROWNELL, A. K. W. 303
Central venous catheters, complications in correct insertion, REIS, J., *et al.*, (*C*) 243
Children, adrenocortical hormone concentrations during cardiopulmonary bypass with and without pulsatile flow, POLLOCK, E. M. M., *et al.* 536
——, comparative plasma concentration profiles after i.v., i.m. and rectal administration of pethidine and norpethidine, JACOBSON, J., *et al.* 623
——, double-blind multiple-dose comparison of buprenorphine and morphine in postoperative pain of children, MAUNUKSELA, E.-L., *et al.* 48
——, increase in intragastric pressure during suxamethonium-induced muscle fasciculations, inhibited by alfentanil in children, LINDGREN, L., *et al.* 176
——, infants and neonates, comparison of atracurium-induced neuromuscular blockade, MEAKIN, G., *et al.* 171
——, infants and neonates, infusion of atracurium, KALLI, I., *et al.* 651
——, preoperative fluids and ranitidine, SANDHARI, B. K., *et al.*, (*ARS*) 324P
——, with cyanotic heart disease, carbon dioxide production and ventilatory efficiency during controlled ventilation, FLETCHER, R., (*ARS*) 332P
Cholecystectomy, and acute phase proteins, ANDERSON, S., *et al.*, (*ARS*) 328P
——, evaluation of the Triflo II Incentive Deep Breathing Exerciser after cholecystectomy, CRAWFORD, B., *et al.*, (*ARS*) 345P
——, preoperative intercostal nerve block, effect on the endocrine metabolic response to surgery, PITHER, C. E., *et al.* 730
Cholinesterase, plasma deficiency, atracurium for ECT in plasma cholinesterase deficiency, STACK, C. G., *et al.*, (*C*) 244
Cholinesterase Research Unit, and suxamethonium-sensitive genotypes, EVANS, R. T., *et al.*, (*C*) 866
Chronic instrumentation techniques, for haemodynamic measurements, ZIMPFER, M. 47S
Circle systems, low-flow nitrous oxide–oxygen and nitrogen–oxygen: effects of body size, ELTON, R. A., *et al.*, (*ARS*) 335P
Circulation, coronary, pulmonary and systemic, effects of diltiazem in the dog, SKARVAN, K., *et al.* 660
——, studies, the use of cardiopulmonary bypass, LEVY, J. H., *et al.* 35S
Circulatory fluctuations, controlled by use of diltiazem during resection of a phaeochromocytoma, TOKIOKA, H., *et al.* 582
Cirrhosis, does it modify midazolam deposition during anaesthesia with midazolam?, TROUVIN, J.-H., *et al.* 762
Clinical practice, is the measurement of cardiac output useful?, TAYLOR, S. H., *et al.* 90S
Clinical presentation, of malignant hyperthermia, ROSENBERG, H. 268
Clonidine, premedication for isoflurane-induced hypotension, WOODCOCK, T. E., *et al.* 388
Closed heart surgery, and pulmonary blood flow. *Use of a Modified $\dot{Q}p/\dot{Q}s$ Ratio to Assess Adequacy of a Palliation of Systemic–Pulmonary Artery Shunts*, YATES, A. P. B. 768
Closed-chest dogs, anaesthetized, effects of altered patterns of ventilation and of increased cardiac output on blood flow to a collapsed lung, NIBLETT, D. J., *et al.* 198
Closed-chest model, acute canine, for anaesthesia research, KAPUR, P. A. 42S
Codeine, oral, causing pupillary changes, PEACOCK, J. E., *et al.*, (*ARS*) 342P
Collapsed lung, in anaesthetized, closed-chest dogs, effects of altered patterns of ventilation and of increased cardiac output on blood flow to a collapsed lung, NIBLETT, D. J., *et al.* 198
Colorectal cancer, and blood transfusions, FRANCIS, D. M. A., (*C*) 120
Combined electrodes, transcutaneous assessed in adults, LANIGAN, C., *et al.* 736
Combined spinal–extradural anaesthesia, for prostatectomy, ELDOR, J., *et al.*, (*C*) 121
Common Problems in Obstetric Anesthesia, DATTA, S., *et al.*, (editors), (*R*) 352
Companion to the F.C.A.R.C.S. Part III, CORKE, C. F., *et al.*, (*R*) 249
Computer storage, and retrieval of data from pulse oximetry, DODDS, C., *et al.*, (*ARS*) 343P
Confidential Enquiry into Perioperative Deaths, (CEPOD), lessons from, SPENCE, A. A., (*E*) 753
Congenital heart disease, in infants, modified $\dot{Q}p/\dot{Q}s$ ratio to assess changes in pulmonary blood flow, YATES, A. P. B. 768
Congress of Anaesthesiology, Ninth World, SMITH, G., (*E*) 605
Conscious rabbit, influence of pretreatment with an MAOI (phenelzine) on the effects of opiates, MACKENZIE, J. E., *et al.* 216
Consciousness, Awareness and Pain in General Anaesthesia, ROSEN, M., *et al.*, (editors), (*R*) 868
Constant rate delivery, i.v. and transdermal pharmacokinetics and pharmacodynamics, of fentanyl for postoperative analgesia, HOLLY, F. O., *et al.* 608
Continuous flow ventilators, in the ICU, SHANKAR, K. B., *et al.*, (*C*) 118

Continuous pump infusions, for extradural analgesia during labour, FRANKEL, D. Z. N., (*C*) 117
Contractile force, during anaesthesia, measured by the Walton–Brodie strain gauge arch, REVES, J. G., *et al.* 78S
Contractility, measurement of the ventricular ejection fraction in the acutely ill, VINCENT, J. L. 113S
Contralateral haemothorax, a late complication of subclavian vein cannulation, BARDOSI, L., *et al.* 461
Controlled ventilation, *v.* spontaneous ventilation, a randomized trial. Outcome after general anaesthesia for repair of fractured neck of femur, COLEMAN, S. A., *et al.* 43
Coronary arterial occlusions, hyperaemic response to test autoregulatory function with isoflurane anaesthesia, CUTFIELD, G. R., *et al.* 784
Coronary artery constriction, the relationship between EVR and regional function studied in a model of coronary critical constriction, LEHOT, J. J., *et al.* 405
Coronary artery surgery, comparison of sufentanil–oxygen and fentanyl–oxygen anaesthesia for coronary artery bypass grafting, MATHEWS, H. M. L., *et al.* 530
Coronary blood flow, and regional myocardial function, effects of local anaesthetics in anaesthetized dogs, LEONE, B. J., *et al.* 671
Coronary haemodynamics, and regional myocardial performance, effects of diltiazem in the dog, SKARVAN, K., *et al.* 660
Coronary revascularization, and plasma magnesium concentration, HARRIS, M. N. E., *et al.* 779
Cortisol, plasma and ACTH were measured in children undergoing cardiopulmonary bypass with and without pulsatile arterial flow, POLLOCK, E. M. M., *et al.* 536
Cortisol response, to surgery, is unaffected by bilateral intercostal blocks, but inhibit the glucose response, PITHER, C. E., *et al.* 730
Cyanide, blood concentration, decreased by sodium thiosulphate following sodium nitroprusside, IVANKOVICH, A. D., *et al.*, (*C*) 744
Cyanotic heart disease, in children, carbon dioxide production during controlled ventilation, FLETCHER, R., (*ARS*) 332P

Dantrolene, dynamics and kinetics, HARRISON, G. G. 279
Day-case laparoscopy, and nitrous oxide: effects on nausea, vomiting and return to normal activity, SENGUPTA, P., *et al.* 570
Decision Making in Anesthesiology, BREADY, L. L., *et al.*, (*R*) 352
Decontamination, of halothane from anaesthetic machines achieved by continuous flushing with oxygen, RITCHIE, P. A., *et al.* 859
Dental surgery, comparison of sedation with temazepam by mouth and Diazemuls i.v. for dental surgery. *Variability in Absorption may Influence Clinical Effect*, HOSIE, H. E., *et al.* 18
Depth of anaesthesia, an approach to measurement of, WHITE, D. C., (*ARS*) 338P
——, and awareness, and lower oesophageal contractions, ISAAC, P. A., *et al.*, (*ARS*) 338P
Dextran, influence on the absorption of adrenaline-containing lignocaine solutions. *A Protective Mechanism in Local Anaesthesia*, ADAMS, H.-A., *et al.* 645
Dextrose, addition of 5%, to a dilute solution of atracurium to ensure stability, HARPER, N. J. N., *et al.*, (*ARS*) 344P
Diagnostic test, for halothane hepatitis, WARK, H., *et al.*, (*C*) 747
Diamorphine, and bupivacaine as an extradural infusion for postoperative analgesia, LEE, A., *et al.* 845
Diamorphine, extradural, effect of the addition of adrenaline after Caesarean section, SEMPLE, A. J., *et al.* 632
Diaphragm hernia, congenital pulse oximetry during repair, BLOCH, E. C., (*C*) 481
Diazemuls, i.v. compared with temazepam by mouth for sedation for dental surgery. *Variability in Absorption may Influence Clinical Effect*, HOSIE, H. E., *et al.* 18
Diazepam, by mouth with MST compared with MST alone as premedicants, SIMPSON, K. H., *et al.* 825
——, i.v., compared with a new sublingual lormetazepam formulation in outpatient minor oral surgery, O'BOYLE, C. A., *et al.* 419
——, premedication, and water ingestion, effect on gastric volume and pH, HOLMES, W., *et al.*, (*ARS*) 327P
——, recovery characteristics compared with midazolam, GALLETLY, D., *et al.* 520
Diazepam metabolism, and rat liver slices *in vitro*, interactions of volatile anaesthetics and albumin, DALE, O., *et al.* 692
Diclofenac, and nefopam, effect on the postoperative morphine demand from a patient controlled analgesia apparatus, GOUCKE, C. R., *et al.*, (*ARS*) 333P
Differential nerve blockade, and the amino-acyl-amides, WILDSMITH, J. A. W., *et al.*, (*ARS*) 334P
Diltiazem, cardiovascular effects in the dog, SKARVAN, K., *et al.* 660
——, effects on circulatory stability during resection of a phaeochromocytoma, TOKIOKA, H., *et al.* 582
——, haemodynamic effects during fentanyl–nitrous oxide anaesthesia. *An* In Vitro *Study in the Dog*, GRIFFIN, R. M., *et al.* 655
Diprivan, propofol, pharmacokinetics in elderly patients, KIRKPATRICK, T., *et al.* 146
Dog, an *in vitro* study of the haemodynamic effects of diltiazem during fentanyl–nitrous oxide anaesthesia, GRIFFIN, R. M., *et al.* 655
——, anaesthetic uptake and elimination: is there a difference between halothane and isoflurane?, ZBINDEN, A. M., *et al.* 395
——, cardiovascular effects of diltiazem, SKARVAN, K., *et al.* 660
——, effects of nitrous oxide on respiration during halothane anaesthesia, HALL, L. W. 207
——, ventilatory effects of oxygen under thiopentone anaesthesia, GAUDY, J. H., *et al.* 456
Dogs, anaesthetized, closed-chest effects of altered patterns of ventilation and of increased cardiac output on blood flow to a collapsed lung, NIBLETT, D. J., *et al.* 198
——, anaesthetized, effects of local anaesthetics on regional myocardial function and coronary blood flow, LEONE, B. J., *et al.* 671
——, effect of beta-1 and beta-2 blockade on isoprenaline induced hypokalaemia, SMITH, M., *et al.*, (*ARS*) 320P
——, isoflurane and large coronary artery haemodynamic studied in dogs, CUTFIELD, G. R., *et al.* 784
——, propranolol disposition, comparison of the effects of isoflurane and fentanyl–nitrous oxide anaesthesia, REILLY, C. S., *et al.* 791
Doppler ultrasound, flow determination, VIELI, A. 107S
Dose regimen, of alfentanil, a two-stage infusion following an initial bolus dose, PERSSON, M. P., *et al.* 755
Dose-response, and haemodynamic effects of TNP compared with SNP, SURY, M. R. J., *et al.* 797
Doxapram, and vecuronium, use in patients susceptible to hyperthermia, ØRDING, H., *et al.* 445
Drift, correlated with end-tidal gas tensions and speed of response assessed with transcutaneous dual electrodes, LANIGAN, C., *et al.* 736
Duchenne Muscular Dystrophy, DMD, relationship to MH, BROWNELL, A. K. W. 303
——, relaxation in patients. *Use of Vecuronium*, BUZELLO, W., *et al.* 228

Dural punctures, avoiding accidental dural punctures, GALEA, P. J., (*C*) 347
Dynamics, and kinetics of dantrolene, HARRISON, G. G. 279

Echocardiographic evaluation, transoesophageal two-dimensional evaluation of anaesthetic effects on left ventricular function, CAHALAN, M. K., *et al.* 99S
ECT, atracurium for ECT in plasma cholinesterase deficiency, STACK, C. G., *et al.*, (*C*) 244
Editorial changes, in *British Journal of Anaesthesia*, SMITH, G., (*E*) 1
Effective alveolar ventilation, measured by a lung model to evaluate different breathing systems, MILLER, D. M. 555
Ejection fraction, ventricular, measurement in the acutely ill, VINCENT, J. L. 113S
Elderly, pharmacokinetics of fentanyl in the young and elderly, SINGLETON, M. A., *et al.* 619
Elderly patients, modification by alfentanil of the haemodynamic response to tracheal intubation. *A Dose–Response Study*, KIRBY, I. J., *et al.* 384
——, pharmacokinetics of propofol (Diprivan), KIRKPATRICK, T., *et al.* 146
——, prolongation by adrenaline of subarachnoid anaesthesia produced by hyperbaric lignocaine, RACLE, J. P., *et al.* 831
Electroconvulsive therapy, effect of passive hyperventilation on seizure duration in patients undergoing ECT, CHATER, S. N., *et al.* 70
Electromyography, used to study train-of-four response during the onset and spontaneous offset of neuromuscular blockade, induced with vecuronium or gallamine, POWER, S. J., *et al.* 486
Enclosed Afferent Reservoir, (EAR) breathing systems. *Description and Clinical Evaluation*, MILLER, D. M., *et al.* 469
Enclosed Magill anaesthetic breathing system, assessment of the fresh gas flow requirements during spontaneous ventilation, BRUCE, W., *et al.*, (*ARS*) 341P
Endocardial viability ratio, EVR, and ischaemic dysfunction of the left ventricle during halothane anaesthesia, LEHOT, J. J., *et al.* 405
Endocrine metabolic response, to surgery, affected by preoperative intercostal block, PITHER, C. E., *et al.* 730
Endocrine stress response, natural killer cell activity and lymphocyte subsets, influence of extradural and general anaesthesia in patients undergoing hysterectomy, TØNNESEN, E., *et al.* 500
End-tidal carbon dioxide monitoring, JORDAN, M. J., *et al.*, (*C*) 746
Enflurane, halothane and isoflurane, MACIVER, M. B., *et al.* 680
——, halothane or isoflurane plasma glutathione S-transferase concentration as a measure of hepatocellular integrity following a single general anaesthetic, HUSSEY, A. J., *et al.* 130
——, isoflurane, halothane and halothane metabolite trifluoroacetic acid, influence on hepatic elimination of diazepam using rat liver slices *in vitro*, DALE, O., *et al.* 692
Epileptic patient, grand mal seizure after extradural morphine analgesia, BORGEAT, A., *et al.* 733
Erosion of vessel walls, by a catheter, BARROWCLIFFE, M. P., (*C*) 350
Essential monitoring, JORDAN, M. J., *et al.*, (*C*) 746
Etomidate, or thiopentone for induction of anaesthesia, with or without fentanyl, followed by bradycardia induced with vecuronium, INOUE, K., *et al.* 10
——, or thiopentone was used to induce anaesthesia in two patients with severe muscle weakness, GANTA, R., *et al.* 854
Evoked Potential Monitoring in the Operating Room, 1st Edn, NUWER, M., (*R*) 123
Exercise, influence of nitrous oxide inhalation on selected physiological responses to exercise, CRIPPS, T. P., *et al.*, (*ARS*) 334P
Extradural, or intrathecal, which approach for surgery?, FORTUNA, A., *et al.*, (*C*) 595
Extradural anaesthesia, and neuroleptanaesthesia, influence on natural killer (NK) cell activity and lymphocyte subpopulations in patients undergoing hysterectomy, TØNNESEN, E., *et al.* 500
——, and plasma bupivacaine concentrations during Caesarean section, effect of adrenaline, LAISHLEY, R. S., *et al.* 180
Extradural analgesia, during labour, continuous pump infusions, FRANKEL, D. Z. N., (*C*) 117
Extradural blockade, failure, in obstetrics, NARANG, V. P. S., *et al.* 402
Extradural bupivacaine, continuous postoperative infusion, and unpredictability of regression of analgesia, MOGENSEN, T., *et al.* 515
Extradural buprenorphine, compared with extradural morphine after Caesarean section, SIMPSON, K. H., *et al.* 627
Extradural diamorphine, analgesia, effect of the addition of adrenaline after Caesarean section, SEMPLE, A. J., *et al.* 632
Extradural infusion, continuous, of 0.125% bupivacaine for pain relief after lower abdominal surgery, MITCHELL, R. W. D., *et al.* 851
——, continuous, of bupivacaine and diamorphine for postoperative analgesia, LEE, A., *et al.* 845
Extradural morphine, compared with extradural buprenorphine after Caesarean section, SIMPSON, K. H., *et al.* 627
Extradural opioids, and patient-controlled analgesia, SJÖSTRÖM, S., *et al.* 358
Extradural space, a patient developed a tonic–clonic seizure after administration of morphine into the extradural space, BORGEAT, A., *et al.* 733
Extradural test doses, in labour, WILSON, I., (*C*) 117

Fade profiles, during spotaneous offset of neuromuscular blockade: vecuronium and gallamine compared, POWER, S. J., *et al.* 486
Fasciculations, and myalgia induced by suxamethonium, differential effects of neuromuscular blocking agents, O'SULLIVAN, E. P., *et al.* 367
Fentanyl, for postoperative analgesia: pharmacokinetics and pharmacodynamics of constant-rate i.v. and transdermal delivery, HOLLY, F. O., *et al.* 608
——, nausea and vomiting, SOSIS, M., *et al.*, (*C*) 118
——, pharmacokinetics in the elderly and young, SINGLETON, M. A., *et al.* 619
——, transdermal delivery to surgical patients, plasma fentanyl concentrations, DUTHIE, D. J. R., *et al.* 614
——, vecuronium induced bradycardia following induction of anaesthesia with etomidate or thiopentone, with or without fentanyl, INOUE, K., *et al.* 10
Fentanyl–nitrous oxide, or isoflurane anaesthesia, comparison of the effects on propranolol disposition in dogs, REILLY, C. S., *et al.* 791
Fentanyl–nitrous oxide anaesthesia, haemodynamic effects of diltiazem. *An* In Vitro *Study in the Dog*, GRIFFIN, R. M., *et al.* 655
Fentanyl–oxygen, compared with sufentanil–oxygen anaesthesia for coronary artery bypass grafting, MATHEWS, H. M. L., *et al.* 530
Fibreoptic intubation, and cardiovascular changes, SMITH, J. E., (*ARS*) 328P

Flow requirements, and rebreathing during mechanically controlled ventilation in a T-piece (Mapleson E), MORGAN-HUGHES, J. O., *et al.*, (*C*) 867
Fluids, preoperative, and ranitidine in children, SANDHARI, B. K., *et al.*, (*ARS*) 324P
Fluosol-DA, 20%, (FDA), possible prophylactic effects against myocardial hypoxia, FAITHFULL, N. S., *et al.* 773
Fontanelle pressure, anterior response to tracheal intubation in the awake and anaesthetized infant, STOW, P. J., *et al.* 167
Free radicals, molecular structure, and their importance in biological reactions, WEBSTER, N. R., *et al.* 98
Fresh gas flow requirements, assessment of the Enclosed Magill anaesthetic breathing system during spontaneous ventilation, BRUCE, W., *et al.*, (*ARS*) 341P
Functional residual capacity (FRC), perioperative changes in morbidly obese patients, DAMIA, G., *et al.* 574

Gallamine, compared with vecuronium in a study of fade profiles during spontaneous offset of neuromuscular blockade, POWER, S. J., *et al.* 486
Gammarus, observations concerning the nature of sites of anaesthetic action, ELLIOTT, J. R., *et al.* 817
Gastric emptying, and paracetamol absorption is delayed in pregnancy in patients undergoing surgery, SIMPSON, K. H., *et al.* 24
——, is delayed in pregnancy but not during labour, CRAWFORD, J. S., (*C*) 864
——, non-invasive methods for measuring, WALKER, D. A. J., *et al.*, (*E*) 483
Gastric pH, and volume, affected by water ingestion and diazepam premedication, HOLMES, W., *et al.*, (*ARS*) 327P
——, and volume, effect of the preoperative administration of water on gastric volume and pH, MCGRADY, E. M., *et al.* 803
Gastric volume, and pH, affected by water ingestion and diazepam premedication, HOLMES, W., *et al.*, (*ARS*) 327P
——, and pH, effect of the preoperative administration of water on gastric volume and pH, MCGRADY, E. M., *et al.* 803
Gastrobid, slow-release metoclopramide, in the perioperative cardiac surgery period, CLAFFEY, L. P., *et al.*, (*ARS*) 339P
General anaesthesia, and associated changes in blood volume distribution, DRUMMOND, G. B., *et al.*, (*ARS*) 331P
——, and muscle paralysis, effect on FRC in obese patients, DAMIA, G., *et al.* 574
——, for Caesarean section, JENKINS, J. G., *et al.*, (*C*) 747
——, for repair of fractured neck of femur. *A Randomized Trial of Spontaneous* v. *Controlled Ventilation*, COLEMAN, S. A., *et al.* 43
——, influence on sustained release of oral morphine, FITZPATRICK, G., *et al.*, (*ARS*) 340P
General anaesthetics, produce changes in phospholipid monolayers partially inhibited by piracetam, FASSOULAKI, A., *et al.*, (*ARS*) 330P
Genotypes, sensitive to suxamethonium, EVANS, R. T., *et al.*, (*C*) 866
Geriatric patients, postanaesthetic arousal time. *A Double-Blind Study of Glycopyrrolate and Atropine*, MALLING, B. V. G., *et al.* 426
——, prolongation by adrenaline of subarachnoid anaesthesia produced by hyperbaric lignocaine, RACLE, J. P., *et al.* 831
Gigantism, extreme, anaesthetic problems for transsphenoidal surgery in a patient with gigantism, CHAN, V. W. S., *et al.* 464
Glasgow, operating theatre pollution, GRAY, W. M., (*ARS*) 331P
Glucose response, to surgery, inhibited by bilateral intercostal blocks, PITHER, C. E., *et al.* 730
Glutathione S-transferase, plasma concentration as a measure of hepatocellular integrity following a single general anaesthetic with halothane, enflurane or isoflurane, HUSSEY, A. J., *et al.* 130
——, release, effect of nicardipine following halothane anaesthesia, RAY, D. C., *et al.*, (*ARS*) 335P
Glycine concentration, serum, changes, and visual evoked potentials during transurethral prostatectomy, CASEY, N. F., *et al.* 525
Glycopyrrolate, and atropine, a double-blind study of postanaesthetic arousal time, MALLING, B. V. G., *et al.* 426
Grand mal seizure, after extradural morphine analgesia, BORGEAT, A., *et al.* 733
Greyhounds, comparison of cardiovascular actions of trimetaphan nitroprusside and sodium nitroprusside, SURY, M. R. J., *et al.* 797
——, comparison of trimetaphan nitroprusside and sodium nitroprusside, SURY, M. R. J., *et al.*, (*ARS*) 336P

Haemodilution, with fluorocarbon emulsions for protection against myocardial ischaemia, FAITHFULL, N. S., *et al.* 773
Haemodynamic changes, during anaesthesia induced and maintained with propofol, CLAEYS, M., *et al.* 3
Haemodynamic effects, of diltiazem during fentanyl–nitrous oxide anaesthesia. *An* In Vitro *Study in the Dog*, GRIFFIN, R. M., *et al.* 655
——, of propofol, DRUMMOND, G. B., *et al.*, (*C*) 865
Haemodynamic measurements, chronic instrumentation techniques for, ZIMPFER, M. 47S
Haemodynamic response, to tracheal intubation in elderly patients, modified by alfentanil. *A Dose–Response Study*, KIRBY, I. J., *et al.* 384
Haemoglobin, the effect of methylene blue dye on haemoglobin oxygen saturation, GORMAN, E. S., *et al.* 439
Haemothorax, contralateral, a late complication of subclavian vein cannulation, BARDOSI, L., *et al.* 461
Haloscale "Infanta" Wright Respirometer, *An* In Vivo *and* In Vitro *Assessment*, HATCH, D. J., *et al.* 232
Halothane, anaesthesia, effect of nicardipine on glutathione S-transferase release following halothane anaesthesia, RAY, D. C., *et al.*, (*ARS*) 335P
——, anaesthesia, effects of nitrous oxide on respiration in the dog, HALL, L. W. 207
——, anaesthesia, endocardial viability ratio and ischaemic dysfunction of the left ventricle during anaesthesia, LEHOT, J. J., *et al.* 405
——, and associated hepatoxicity, ASSCHER, A. W., *et al.*, (*C*) 479
——, and isoflurane, in the dog, is there a difference in the anaesthetic uptake and elimination?, ZBINDEN, A. M., *et al.* 395
——, and its metabolite trifluoroacetic acid, enflurane and isoflurane, effects on hepatic elimination of diazepam using rat liver slices *in vitro*, DALE, O., *et al.* 692
——, decontamination of halothane from anaesthetic machines achieved by continuous flushing with oxygen, RITCHIE, P. A., *et al.* 859
——, enflurane or isoflurane, plasma glutathione S-transferase concentration as a measure of hepatocellular integrity following a single general anaesthetic, HUSSEY, A. J., *et al.* 130
——, isoflurane and enflurane were compared on three CNS excitatory synaptic pathways *in vitro*, MACIVER, M. B., *et al.* 680

Halothane, pentobarbitone and methoxyflurane, interactions with helium pressure, KENDIG, J. J., *et al.* 806
——, Studies in patients anaesthetized with halothane, of upper limb blood flow during hexamethonium-induced hypotension, PAUCA, A. L. 151
Halothane hepatitis, dignostic test, WARK, H., *et al.*, (*C*) 747
Headache, post-spinal and posture. *A Controlled Trial in 80 Obstetric Patients*, THORNBERRY, E. A., *et al.* 195
Heart preparation, isolated, MERIN, R. G. 28S
Heart wall, regional length and thickness measurements, LOWENSTEIN, E. 58S
Helium pressure, interaction with anaesthetic agents, KENDIG, J. J., *et al.* 806
Hepatic blood flow, and hepatic enzyme activity, comparison of the effects of isoflurane and fentanyl–nitrous oxide, REILLY, C. S., *et al.* 791
Hepatic elimination, of diazepam effects of volatile anaesthetics, using rat liver slices *in vitro*, DALE, O., *et al.* 692
Hepatic enzyme activity, and hepatic blood flow, comparison of the effects of isoflurane and fentanyl–nitrous oxide, REILLY, C. S., *et al.* 791
Hepatitis, associated with halothane, diagnostic test, WARK, H., *et al.*, (*C*) 747
Hepatotoxicity, associated with halothane, ASSCHER, A. W., *et al.*, (*C*) 479
Heptocellular integrity, measured by plasma glutathione S-transferase following a single general anaesthetic with halothane, enflurane or isoflurane, HUSSEY, A. J., *et al.* 130
Hexamethonium, induced hypotension, and upper limb blood flow. *Studies in Patients Anaesthetized with Halothane*, PAUCA, A. L. 151
High frequency jet ventilation, YOUNG, J. D., *et al.*, (*C*) 743
High spinal nerve block, for large bowel anastomosis. *A Prospective Study*, WORSLEY, M. H., *et al.* 836
High-dose opioid, anaesthesia, plasma prolactin concentrations, HYNYNEN, M., *et al.*, (*C*) 245
Hip fracture, resulting in mortality and morbidity, DODDS, C., *et al.*, (*C*) 746
Hippocampal synaptic responses, *in vitro*, effects of inhalation anaesthetics, MACIVER, M. B., *et al.* 680
History of Blood Gas Analysis. International Anaesthesiology Clinics. Vol. 25, No. 4, SEVERINGHAUS, J. W., *et al.*, (*editors*), (*R*) 749
Hyoscine, by mouth with MST compared with MST alone as premedicants, SIMPSON, K. H., *et al.* 825
Hyperactivity, induced by amphetamines, pressure reversal of locomotor activity, HUNTER, A. B., *et al.*, (*ARS*) 339P
Hyperbaric bupivacaine, for spinal analgesia: influence of age, RACLE, J. P., *et al.* 508
Hyperbaric lignocaine, prolongation of subarachnoid anaesthesia with adrenaline, RACLE, J. P., *et al.* 831
Hyperoxia, treatment in combination with bleomycin or bleomycin alone resulting in pulmonary toxicity in the rat, BLOM-MUILWIJK, M. C., *et al.* 91
Hyperpyrexia, malignant, and sudden infant death syndrome, ELLIS, F. R., *et al.* 28
Hypertension, postoperative, and continuus i.v. infusion of labetalol, PRYS-ROBERTS, C., *et al.*, (*C*) 600
Hyperventilation, passive, effect on seizure duration in patients undergoing electroconvulsive therapy, CHATER, S. N., *et al.* 70
Hypokalaemia, induced by isoprenaline in dogs, effects of beta-1 and beta-2 blockade, SMITH, M., *et al.*, (*ARS*) 320P
Hypotension, induced by hexamethonium, studies of upper limb blood flow in patients anaesthetized with halothane, PAUCA, A. L. 151
Hypotension, induced by isoflurane, and clonidine premedication, WOODCOCK, T. E., *et al.* 388
——, rate of induction with trimetaphan modifies the ICP response in cats., KARLIN, A., *et al.* 161
Hypoxaemia, in the recovery room, DALE, S., *et al.*, (*ARS*) 341P
Hypoxic lung lobe, effects of the pattern of ventilation and of an increase in cardiac output on the distribution of blood flow to a hypoxic lung lobe, CANNON, D., *et al.* 81
Hypoxic pulmonary vasoconstriction, regional, effect of nicardipine hydrochloride, NAKAZAWA, K., *et al.* 547
Hysterectomy, influence of extradural and general anaesthesia on natural killer cell activity and lymphocyte subpopulations, TØNNESEN, E., *et al.* 500

ICP (Intracranial pressure), effect of suxamethonium on the ICP in cats with and without thiopentone pretreatment, THIAGARAJAH, S., *et al.* 151
IMV ventilators, and work of rebreathing, SHANKAR, K. B., *et al.*, (*C*) 480
Infant, awake and anaesthetized, anterior fontanelle pressure response to tracheal intubation, STOW, P. J., *et al.* 167
Infant death syndrome, sudden, and malignant hyperpyrexia, ELLIS, F. R., *et al.* 28
Infants, modified $\dot{Q}p/\dot{Q}s$ ratio to assess changes in pulmonary blood flow, YATES, A. P. B. 768
——, neonates and children, comparison of atracurium-induced neuromuscular blockade, MEAKIN, G., *et al.* 171
——, neonates and children, infusion of atracurium, KALLI, I., *et al.* 651
Inhalation anaesthetics, effects on three CNS excitatory pathways *in vitro*, MACIVER, M. B., *et al.* 680
Injection pain, prevention, BARKER, J. P., *et al.*, (*C*) 243
Instrumentation techniques, chronic, for haemodynamic measurements, ZIMPFER, M. 47S
Intensive care unit, continuous flow ventilators, SHANKAR, K. B., *et al.*, (*C*) 118
Interactions, of basal anaesthesia and cardiac function, DOURSOUT, M.-F., *et al.* 119S
Intermittent wound perfusion, GIBBS, P., *et al.*, (*C*) 119
Intracranial pressure, response modified by the rate of induction of hypotension with trimetaphan in cats, KARLIN, A., *et al.* 161
Intragastric pressure, increase during suxamethonium-induced muscle fasciculations in children: inhibition by alfentanil, LINDGREN, L., *et al.* 176
Intramuscular administration, i.v. and rectal administration of pethidine in children, JACOBSON, J., *et al.* 623
Intraocular pressure, and suxamethonium, EDMONDSON, L., *et al.*, (*C*) 349
Intraocular pressure changes, during rapid sequence induction of anaesthesia: comparison of propofol and thiopentone in combination with vecuronium, MIRAKHUR, R. K., *et al.* 379
Intrathecal, or extradural, which approach for surgery?, FORTUNA, A., *et al.*, (*C*) 595
Intrathecal morphine, associated with apnoea in obstetrics, ABOULEISH, E. 592
——, in the management of pain following cardiac surgery. *A Comparison with Morphine I.v.*, FITZPATRICK, G. J., *et al.* 639
Intravenous administration, i.m. and rectal administration of pethidine in children, comparative plasma concentration profiles, JACOBSON, J., *et al.* 623
Invasive techniques, complications in correctly inserting central venous catheters, REIS, J., *et al.*, (*C*) 243
Isoflurane, and halothane in the dog, is there a difference in the anaesthetic uptake and elimination?, ZBINDEN, A. M., *et al.* 395

Isoflurane, and large coronary artery haemodynamics. *Study in Dogs*, CUTFIELD, G. R., *et al.* 784
——, and nitrous oxide, comparison of the effects of subanaesthetic concentrations in volunteers, MCMENEMIN, I. M., *et al.* 56
——, and nitrous oxide, effect on auditory evoked response in anaesthesia, NEWTON, D. E. F., *et al.*, (*ARS*) 336P
——, compared with propofol and alfentanil for outpatient arthroscopy, HERREGODS, L., *et al.* 565
——, enflurane and halothane, influence on hepatic elimination of diazepam using rat liver slices *in vitro*, DALE, O., *et al.* 692
——, halothane or enflurane, plasma glutathione S-transferse concentration as a measure of hepatocellular integrity following a single general anaesthetic, HUSSEY, A. J., *et al.* 130
——, halothane and enflurane were compared on three CNS excitatory synaptic pathways, MACIVER, M. B., *et al.* 680
——, induced hypotension and clonidine premedication, WOODCOCK, T. E., *et al.* 388
——, or fentanyl–nitrous oxide anaesthesia, comparison of the effects on propranolol disposition in dogs, REILLY, C. S., *et al.* 791
——, supplementary on cardiopulmonary bypass, DUNNE, N. M., *et al.*, (*ARS*) 323P
Isolated heart preparation, MERIN, R. G. 28S
Isoprenaline, induced hypokalaemia in dogs, effects of beta-1 and beta-2 blockade, SMITH, M., *et al.*, (*ARS*) 320P

Jet ventilation, high frequency, YOUNG, J. D., *et al.*, (*C*) 743

Ketamine, Althesin and methohexitone, lack of correlation between the anaesthetic and anti-convulsant potencies, WARDLEY-SMITH, B., *et al.* 140
Kinetics, and dynamics of dantrolene, HARRISON, G. G. 279
King–Denborough syndrome, relationship to MH, BROWNELL, A. K. W. 303

Labetalol, continuous i.v. infusion, for postoperative hypertension, PRYS-ROBERTS, C., *et al.*, (*C*) 600
Labour, continuous pump infusions for extradural analgesia, FRANKEL, D. Z. N., (*C*) 117
——, does not delay gastric emptying, CRAWFORD, J. S., (*C*) 864
——, extradural test doses, WILSON, I., (*C*) 117
Laparoscopy, day-case, and nitrous oxide: effects on nausea, vomiting and return to normal activity, SENGUPTA, P., *et al.* 570
Large bowel anastomosis, and high spinal nerve block. *A Prospective Study*, WORSLEY, M. H., *et al.* 836
Laryngoscopy, and intubation, effect of nifedipine on cardiovascular responses to laryngoscopy and intubation, PURI, G. D., *et al.* 579
Lasers, physics and implications for their use during airway surgery, VAN DER SPEK, A. F. L., *et al.* 709
Lectures in Anaesthesiology 1987/2, ZORAB, J. S. M., *et al.*, (*editors*), (*R*) 749
Left ventricular function, histology of the postischaemic myocardium and its relation to left ventricular function, FLAMENG, W., *et al.* 14S
——, transoesophageal two-dimensional echocardiographic evaluation of anaesthetic effects on LV, CAHALAN, M. K., *et al.* 99S
Left ventricular preload, reliability of PCWP as an index for left ventricular preload, VAN AKEN, H., *et al.* 85S
Light general anaesthesia, and subarachnoid block for patients undergoing large bowel anastomosis, WORSLEY, M. H., *et al.* 836
Lignocaine, and adrenaline used for brachial plexus blockade predicted by changes in skin electrical resistance, SMITH, G. B., *et al.* 703
——, and amethocaine, comparative *in vitro* and *in vitro* assessment of percutaneous absorption, MCCAFFERTY, D. F., *et al.* 64
——, and bupivacaine, effects on regional myocardial function and coronary blood flow in anaesthetized dogs, LEONE, B. J., *et al.* 671
——, hyperbaric prolongation of subarachnoid anaesthesia with adrenaline, RACLE, J. P., *et al.* 831
——, seizure threshold in cats, effects of atracurium, vecuronium or pancuronium pretreatment, LANIER, W. L., *et al.* 74
Lignocaine solutions, containing adrenaline, influence on the absorption. *A Protective Mechanism in Local Anaesthesia*, ADAMS, H.-A., *et al.* 645
Limb blood flow, during hexamethonium-induced hypotension, PAUCA, A. L. 151
Lipophilicity, of silastic for assessment of the percutaneous absorption of local anaesthetics, MCCAFFERTY, D. F., *et al.* 64
Lobar ventilation hypoxia, and collapse, effects of increased cardiac output on pulmonary blood flow distribution during lobar ventilation hypoxia and collapse, CANNON, D., *et al.* 430
Local anaesthesia, a protective mechanism, influence of dextran on the absorption of adrenaline-containing lignocaine solutions, ADAMS, H.-A., *et al.* 645
Local anaesthetics, lignocaine and bupivacaine, effects on regional myocardial function and coronary blood flow in anaesthetized dogs, LEONE, B. J., *et al.* 671
Local forces, in the myocardium, THEISSEN, J. L., *et al.* 72S
Lormetazepam, a new sublingual formulation compared with i.v. diazepam in outpatient minor oral surgery, O'BOYLE, C. A., *et al.* 419
Lower abdominal surgery, continuous extradural infusion of 0.125% bupivacaine for pain relief, MITCHELL, R. W. D., *et al.* 851
Lower oesophageal contractility, and surgical stimulation, EVANS, J. M., (*C*) 864
——, relationship with level of surgical stimulation, THOMAS, D. I., *et al.*, (*ARS*) 337P
Lower oesophageal contractions, (LOC), and depth of anaesthesia and awareness, ISAAC, P. A., *et al.*, (*ARS*) 338P
Lung model, measuring effective alveolar ventilation is used to evaluate different breathing systems, MILLER, D. M. 555
Lung transplantation, anaesthesia for isolated lung transplantation, CONACHER, I. D., *et al.* 588
Lymphocyte subpopulation, and natural killer (NK) cell activity, influence of extradural and neuroleptanaesthesia in patients undergoing hysterectomy, TØNNESEN, E., *et al.* 500

Magnesium, plasma concentration, and coronary revascularization, HARRIS, M. N. E., *et al.* 779
Magnesium chloride, effect of intraoperative administration on plasma magnesium concentration after coronary revascularization, HARRIS, M. N. E., *et al.* 779
Malignant hyperpyrexia, and sudden infant death syndrome, ELLIS, F. R., *et al.* 28
Malignant hyperthermia, aetiology, GRONERT, G. A., *et al.* 253
——, biochemical aspects of the acute episode, HEFFRON, J. J. A. 274

Malignant hyperthermia, clinical presentation, ROSENBERG, H. 268
——, diagnosis and its social implications, ELLIS, F. R., (*E*) 251
——, diagnosis of susceptibility in man, ØRDING, H. 287
——, preoperative assessment of risk factors, SMITH, R. J. 317
——, relationship to other diseases, BROWNELL, A. K. W. 303
——, use of vecuronium and doxapram in patients susceptible to MH, ØRDING, H., *et al.* 445
Malignant hyperthermia myopathy, HARRIMAN, D. G. F. 309
Malignant hyperthermia susceptible, muscle, and suxamethonium, NELSON, T. C., (*C*) 596
Manual infusion scheme, for propofol, ROBERTS, F. L., *et al.*, (*ARS*) 342P
Manual of Anesthesia in Cancer Care, HOWLAND, W. S., *et al.*, (*R*) 868
Mass spectrometry, to determine the halothane contamination of anaesthetic machines, RITCHIE, P. A., *et al.* 859
Measurement of force, required to hold open the mouth, DERRINGTON, M. C., *et al.*, (*ARS*) 344P
Measuring techniques, assessing the effects of anaesthetics on myocardial function, clinical possibilities and limitations, TARNOW, J. 52S
Medical Assessment of the Elderly Surgical Patient, SEYMOUR, G., (*R*) 123
Medical curriculum, undergraduate, and anaesthesia, PRYS-ROBERTS, C., *et al.*, (*E*) 355
Mepivacaine, compared with ropivacaine and bupivacaine, differential nerve blockade, WILDSMITH, J. A. W., *et al.*, (*ARS*) 334P
Meptazinol, suppository, a single dose compared with morphine, in injection, for efficacy and safety, MOORES, M. A., *et al.* 542
Metabolism of morphine, *in vitro*, failure to demonstrate in whole blood and plasma, QUINN, K. G., *et al.*, (*C*) 348
Methohexitone, Althesin and ketamine, lack of correlation between the anaesthetic and anti-convulsant potencies, WARDLEY-SMITH, B., *et al.* 140
Methotrexate, and nitrous oxide, synergistic anti-neoplastic effect, GILLMAN, M. A., (*C*) 349
Methoxyflurane, pentobarbitone and halothane, interactions with helium pressure, KENDIG, J. J., *et al.* 806
Methyl carboxylic esters, n-alkanols and n-alkyl ketones, effects of a fast reflex escape response to mechanical stimulation in *Gammarus*, ELLIOTT, J. R., *et al.* 817
Methylene blue dye, effect on the absorbance of solutions of haemoglobin, GORMAN, E. S., *et al.* 439
Metoclopramide, slow-release (Gastrobid), in the perioperative cardiac surgery period, CLAFFEY, L. P., *et al.*, (*ARS*) 339P
Microlaryngeal surgery, physics of lasers and implications for use in airway surgery, VAN DER SPEK, A. F. L., *et al.* 709
Midazolam, pharmacokinetics in anaesthetized cirrhotic patients, TROUVIN, J.-H., *et al.* 762
——, recovery characteristics compared with diazepam, GALLETLY, D., *et al.* 520
——, with alfentanil as part of a total i.v. anaesthetic technique, PERSSON, M. P., *et al.* 755
Mini Boyle, anaesthetic machine investigated for halothane contamination, RITCHIE, P. A., *et al.* 859
Molecular structure, of free radicals and their importance in biological reactions, WEBSTER, N. R., *et al.* 98
Monitoring, echocardiographic evaluation of anaesthetic effects on LV, CAHALAN, M. K., *et al.* 99S
——, essential, JORDAN, M. J., *et al.*, (*C*) 746
Monoamine oxidase inhibitor, (phenelzine), influence of pretreatment on the effects of buprenorphine and pethidine in the conscious rabbit, MACKENZIE, J. E., *et al.* 216
Monoamine oxidase inhibitors, and anaesthesia. *A Review*, STACK, C. G., *et al.* 222
Morbidity, and mortality after hip fracture, DODDS, C., *et al.*, (*C*) 746
——, postoperative nausea and vomiting and return to normal activity, nitrous oxide and day-case laparoscopy, SENGUPTA, P., *et al.* 570
Morphine, and buprenorphine, a double-blind multiple-dose comparison in postoperative pain in children, MAUNUKSELA, E.-L., *et al.* 48
——, extradural analgesia, resulting in grand mal seizure in an epileptic patient, BORGEAT, A., *et al.* 733
——, extradural, compared with extradural buprenorphine after Caesarean section, SIMPSON, K. H., *et al.* 627
——, i.m. injection, compared with a single dose of meptazinol as a suppository, for efficacy and safety, MOORES, M. A., *et al.* 542
——, intrathecal, associated with apnoea in obstetrics, ABOULEISH, E. 592
——, intrathecal compared with i.v. in the management of pain following cardiac surgery, FITZPATRICK, G. J., *et al.* 639
——, oral sustained release, the influence of general anaesthesia, FITZPATRICK, G., *et al.*, (*ARS*) 340P
——, patient-controlled analgesia with extradural morphine or pethidine, SJÖSTRÖM, S., *et al.* 358
——, postoperative, demand from a patient controlled analgesia apparatus, effect of diclofenac and nefopam, GOUCKE, C. R., *et al.*, (*ARS*) 333P
——, slow release (MST), plus hyoscine or diazepam by mouth for premedication, SIMPSON, K. H., *et al.* 825
Morphine metabolism, failure to demonstrate *in vitro* in whole blood and plasma, QUINN, K. G., *et al.*, (*C*) 348
Mortality, and anaesthesia, Confidential Enquiry into Perioperative Deaths, (CEPOD), SPENCE, A. A., (*E*) 753
——, and morbidity after hip fracture, DODDS, C., *et al.*, (*C*) 746
Mouth opening, measurement of the force required to hold open the mouth, DERRINGTON, M. C., *et al.*, (*ARS*) 344P
MST, slow release morphine, plus hyoscine or diazepam by mouth for premedication, SIMPSON, K. H., *et al.* 825
Muscle fasciculations, induced by suxamethonium and increase in intragastric pressure inhibited by alfentanil in children, LINDGREN, L., *et al.* 176
Muscle histopathology, in patients susceptible to MH, HARRIMAN, D. G. F. 309
Muscle relaxation, in patients with Duchenne's muscular dystrophy. *Use of Vecuronium in Two Patients*, BUZELLO, W., *et al.* 228
Myalgia, and fasciculations induced by suxamethonium, differential effects of neuromuscular blocking agents, O'SULIVAN, E. P., *et al.* 367
Myoadenylate deaminase deficiency, (MDD), relationship to MH, BROWNELL, A. K. W. 303
Myocardial contractility, during anaesthesia, measured by the Walton–Brodie strain gauge arch, REVES, J. G., *et al.* 78S
Myocardial function, assessment, NORMAN, J., *et al.*, (*E*) 1S
——, clinical possibilities and limitations of techniques assessing the effects of anaesthetics on myocardial function, TARNOW, J. 52S
——, regional, and coronary blood flow, effects of local anaesthetics in anaesthetized dogs, LEONE, B. J., *et al.* 671
——, the problem created by myocardial structure in assessing function, LUNKENHEIMER, P. P., *et al.* 2S

Myocardial ischaemia, of the left ventricle, endocardial viability ratio during halothane anaesthesia, LEHOT, J. J., *et al.* 405
——, protection against, by prior haemodilution with fluorocarbon emulsions, FAITHFULL, N. S., *et al.* 773
Myocardial metabolic status, is biochemistry the index of the functional state of the heart?, ISSELHARD, W. 23S
Myocardial regional dysfunction, of the left ventricle, endocardial viability ratio, during halothane anaesthesia, LEHOT, J. J., *et al.* 405
Myocardial structure, the problem created by assessing function, LUNKENHEIMER, P. P., *et al.* 2S
Myocardial work, ventricular work and power capacity, principles underlying assessment, JACOB, R., *et al.* 8S
Myocardium, local forces, THEISSEN, J. L., *et al.* 72S
Myopathy, malignant hyperthermia associated, HARRIMAN, D. G. F. 309

n-Alkanols, methyl carboxylic esters and n-alkyl ketones, effects on a fast reflex escape response to mechanical stimulus in *Gammarus*, ELLIOTT, J. R., *et al.* 817
n-Alkyl ketones, n-alkanols and methyl carboxylic esters, effects of a fast reflex escape response to mechanical stimulation in *Gammarus*, ELLIOTT, J. R., *et al.* 817
Nasopharyngeal airway, new, assessment, GALLAGHER, W. J., *et al.* 112
Natural killer (NK) cell activity, and lymphocyte subpopulations, influence of extradural and neuroleptanaesthesia in patients undergoing hysterectomy, TØNNESEN, E., *et al.* 500
Nausea, vomiting and fentanyl, SOSIS, M., *et al.*, (*C*) 118
Nefopam, and diclofenac, effect on the postoperative morphine demand from a patient controlled analgesia apparatus, GOUCKE, C. R., *et al.*, (*ARS*) 333P
Neonates, infants and children, a study of infusion of atracurium to maintain a steady neuromuscular block, KALLI, I., *et al.* 651
——, infants and children, comparison of atracurium-induced neuromuscular blockade, MEAKIN, G., *et al.* 171
Nerve blockade, differential, and the amino-acyl-amides, WILDSMITH, J. A. W., *et al.*, (*ARS*) 334P
Nerve stimulation, use of a modified i.v. cannula, HANSEN, M., *et al.*, (*C*) 347
Neural blockade, and pharmacokinetics, effects of age; spinal anaesthesia with hyperbaric bupivacaine, VEERING, B. T., *et al.* 187
Neuroleptanaesthesia, and extradural anaesthesia, influence on natural killer (NK) cell activity and lymphocyte subpopulations in patients undergoing hysterectomy, TØNNESEN, E., *et al.* 500
Neuroleptic malignant syndrome, (NMS), relationship to MH, BROWNELL, A. K. W. 303
Neuromuscular block, infusion of atracurium in neonates, infants and children, KALLI, I., *et al.* 651
——, non-depolarizing, measured by comparison of single twitch and train-of-four modes of stimulation, BELL, P. F., *et al.*, (*ARS*) 343P
Neuromuscular blockade, accelerating, POLLARD, B. J., (*ARS*) 326P
——, by atracurium, evaluation in paediatric patients with burn injury, MILLS, A. K., *et al.* 450
——, comparison of recovery by atracurium or pancuronium, HUTTON, P., *et al.* 36
——, constant 95%, maintenance by adjustable infusion rates of pancuronium and atracurium, HARALDSTED, V. Y., *et al.* 491
——, fade profiles during the spontaneous offset of blockade: vacuronium and gallamine compared, POWER, S. J., *et al.* 486
Neuromuscular blockade, induced by atracurium, comparison in neonates, infants and children, MEAKIN, G., *et al.* 171
——, profound, with atracurium infusion and post-tetanic count in paediatric patients, RIDLEY, S. A., *et al.* 31
——, with atracurium, towards practical automatic control, MACLEOD, A. D., *et al.*, (*ARS*) 327P
——, with vecuronium used in patients susceptible to malignant hyperthermia, ØRDING, H., *et al.* 445
Neuromuscular blockers, before thiopentone, POTTER, C. J. F., (*C*) 865
Neuromuscular blocking agents, (suxamethonium, gallamine or pancuronium), effects on suxamethonium-induced fasciculations and myalgia, O'SULIVAN, E. P., *et al.* 367
Neurosurgical Anaesthesia and Intensive Care, Second Edition, CAMPKIN, T. V., *et al.*, (*R*) 247
Nicardipine, effect on glutathione S-transferase release following halothane anaesthesia, RAY, D. C., *et al.*, (*ARS*) 335P
Nicardipine hydrochloride, effect on regional hypoxic pulmonary vasoconstriction, NAKAZAWA, K., *et al.* 547
Nifedipine, effect on cardiovascular responses to laryngoscopy and intubation, PURI, G. D., *et al.* 579
Ninth World Congress of Anaesthesiology, SMITH, G., (*E*) 605
Nitrogen–oxygen, and nitrous oxide–oxygen low-flow circle systems: effects of body size, ELTON, R. A., *et al.*, (*ARS*) 335P
Nitrous oxide, and day-case laparoscopy: effects on nausea, vomiting and return to normal activity, SENGUPTA, P., *et al.* 570
——, and isoflurane, comparison of the effects of subanaesthetic concentrations in volunteers, MCMENEMIN, I. M., *et al.* 56
——, and isoflurane, effect on auditory evoked response in anaesthesia, NEWTON, D. E. F., *et al.*, (*ARS*) 336P
——, and methotrexate synergistic anti-neoplastic effect, GILLMAN, M. A., (*C*) 349
——, effect on respiration during halothane anaesthesia in the dog, HALL, L. W. 207
——, inhalation, influence on selected physiological responses to exercise, CRIPPS, T. P., *et al.*, (*ARS*) 334P
Nitrous oxide in oxygen anaesthesia, supplemented by sufentanil, O'CONNOR, M., *et al.*, (*ARS*) 340P
Nitrous oxide–oxygen, and nitrogen–oxygen low-flow circle systems: effects of body size, ELTON, R. A., *et al.*, (*ARS*) 335P
Non-invasive measuring, of gastric emptying, WALKER, D. A. J., *et al.*, (*E*) 483
Norpethidine, and pethidine, i.v., i.m. and rectal administration in children, comparative plasma concentration profiles, JACOBSON, J., *et al.* 623

Obesity, perioperative changes in functional residual capacity in morbidly obese patients, DAMIA, G., *et al.* 574
Obstetric anaesthesia, apnoea associated with intrathecal morphine, ABOULEISH, E. 592
——, routine use of atropine, MAY, A. E., *et al.*, (*C*) 243
Obstetric patients, posture and post-spinal headache, a controlled trial in 80 patients, THORNBERRY, E. A., *et al.* 195
Obstetrics, failure of extradural blockade, NARANG, V. P. S., *et al.* 402
Oesophageal contractility, lower, relationship with level of surgical stimulation, THOMAS, D. I., *et al.*, (*ARS*) 337P
Oesophageal gastric tube airway, or tracheal intubation for emergency Caesarean section, WILLIAMSON, R., *et al.*, (*C*) 476

Oesophageal sclerotherapy, associated with deterioration in respiratory function, LOVETT, M. C., *et al.*, (*ARS*) 333P
Open-chest model, acute, PRIEBE, M.-J. 38S
Operating theatre pollution, in Glasgow, GRAY, W. M., (*ARS*) 331P
Opioid, high-dose anaesthesia, plasma prolactin concentrations, HYNYNEN, M., *et al.*, (*C*) 245
Opioid analgesics, comparison of extradural opioid analgesics after Caesarean section opioid, SIMPSON, K. H., *et al.* 627
Opioid premedication, and biliary colic, SAUNDERS, N. J., *et al.*, (*C*) 348
Oral codeine, causing pupillary changes, PEACOCK, J. E., *et al.*, (*ARS*) 342P
Oral morphine, sustained release, the influence of general anaesthesia, FITZPATRICK, G., *et al.*, (*ARS*) 340P
Oral surgery, outpatient minor, controlled comparison of a new sublingual lormetazepam formulation and i.v. diazepam, O'BOYLE, C. A., *et al.* 419
Outpatient anaesthesia, controlled comparison of a new sublingual lormetazepam formulation and i.v. diazepam in outpatient minor oral surgery, O'BOYLE, C. A., *et al.* 419
——, for arthroscopy, comparison of propofol, alfentanil and isoflurane, HERREGODS, L., *et al.* 565
Oxygen, ventilatory effects in the dog under thiopentone anaesthesia, GAUDY, J. H., *et al.* 456
Oxygen monitoring, transconjunctival and transcutaneous, *in vivo* stability, LANIGAN, C., *et al.*, (*ARS*) 321P
Oxygen saturation, in the recovery room, DALE, S., *et al.*, (*ARS*) 341P
Oxygen therapy, rational control, additional blood–gas variables, corrigendum, WILLIS, N., *et al.*, (*C*) 243

Paediatric patients, post-tetanic count and profound neuromuscular blockade with atracurium infusion, RIDLEY, S. A., *et al.* 31
——, with burn injury, evaluation of atracurium neuromuscular blockade, MILLS, A. K., *et al.* 450
Pain, on injection, prevention, BARKER, J. P., *et al.*, (*C*) 243
Pain relief, after lower abdominal surgery, continuous extradural infusion of 0.125% bupivacaine, MITCHELL, R. W. D., *et al.* 851
Palliation, of systemic–pulmonary artery shunts assessed by use of a modified $\dot{Q}p/\dot{Q}s$ ratio, YATES, A. P. B. 768
Palmar evaporative water loss, changes during anaesthesia, the influence of different premedicant drugs, BARCROFT, J. P., *et al.*, (*ARS*) 332P
Pancuronium, and atracurium, maintenance of constant 95% neuromuscular blockade by adjustable infusion rates, HARALDSTED, V. Y., *et al.* 491
——, and suxamethonium used to induce neuromuscular blockade, differential effects of calcium channel blocking agents, SALVADOR, A., *et al.* 495
——, atracurium or vecuronium, effects of pretreatment on lignocaine seizure threshold in cats, LANIER, W. L., *et al.* 74
——, compared with atracurium for recovery from neuromuscular blockade, HUTTON, P., *et al.* 36
——, followed by atracurium, effects, KAY, B., *et al.*, (*ARS*) 324P
Paracetamol absorption, and gastric emptying is delayed in pregnancy in patients undergoing surgery, SIMPSON, K. H., *et al.* 24
Patient characteristics, possible correlation with duration of surgery, site of operation and duration of sensory analgesia, MOGENSEN, T., *et al.* 515
Patient-controlled analgesia, with extradural morphine or pethidine, SJÖSTRÖM, S., *et al.* 358
Pentobarbitone, halothane and methoxyflurane, interactions with helium pressure, KENDIG, J. J., *et al.* 806
Percutaneous absorption, of local anaesthetics, comparative *in vivo* and *in vitro* assessment, MCCAFFERTY, D. F., *et al.* 64
Pethidine, and buprenorphine, in the conscious rabbit, influence of pretreatment with an MAOI (phenelzine) on the effects of opioids, MACKENZIE, J. E., *et al.* 216
——, and norpethidine, i.v., i.m. and rectal administration in children, comparative plasma concentration profiles, JACOBSON, J., *et al.* 623
——, patient-controlled analgesia with extradural morphine or pethidine, SJÖSTRÖM, S., *et al.* 358
Phaeochromocytoma, use of diltiazem to control circulatory fluctuations during surgical removal, TOKIOKA, H., *et al.* 582
Pharmacodynamics, and kinetics of dantrolene, HARRISON, G. G. 279
——, and pharmacokinetics of constant-rate i.v. and transdermal delivery of fentanyl for postoperative analgesia, HOLLY, F. O., *et al.* 608
Pharmacokinetics, and neural blockade, effects of age; spinal anaesthesia with hyperbaric bupivacaine, VEERING, B. T., *et al.* 187
——, and pharmacodynamics of constant-rate i.v. and transdermal delivery of fentanyl for postoperative analgesia, HOLLY, F. O., *et al.* 608
——, of alfentanil in total i.v. anaesthesia, PERSSON, M. P., *et al.* 755
——, of atracurium metabolites, NIGROVIC, V., *et al.*, (*C*) 477
——, of fentanyl in the elderly and young, SINGLETON, M. A., *et al.* 619
——, of midazolam in anaesthetized cirrhotic patients, TROUVIN, J.-H., *et al.* 762
——, of propofol (Diprivan) in elderly patients, KIRKPATRICK, T., *et al.* 146
Phenelzine, a monoamine oxidase inhibitor influence of pretreatment on the effects of buprenorphine and pethidine in the conscious rabbit, MACKENZIE, J. E., *et al.* 216
Phospholipid monolayers, changes produced by general anaesthetics inhibited by piracetam, FASSOULAKI, A., *et al.*, (*ARS*) 330P
Pigs, protection against myocardial ischaemia by prior haemodilution with fluorocarbon emulsion, FAITHFULL, N. S., *et al.* 773
Piracetam, partially inhibits changes in phospholipid monolayers produced by general anaesthetics, FASSOULAKI, A., *et al.*, (*ARS*) 330P
Pituitary adenoma, removal by transsphenoidal surgery, anaesthetic problems in a patient with extreme gigantism, CHAN, V. W. S., *et al.* 464
Placental transfer, of bupivacaine in rabbits, effect of adrenaline, LAISHLEY, R. S., *et al.*, (*ARS*) 330P
Plasma cholinesterase deficiency, atracurium for ECT, STACK, C. G., *et al.*, (*C*) 244
Plasma concentration profiles, comparative, after i.v., i.m. and rectal administration of pethidine in children, JACOBSON, J., *et al.* 623
Plasma concentration–time profiles, of alfentanil during major surgery, PERSSON, M. P., *et al.* 755
Plasma fentanyl, concentrations during transdermal delivery of fentanyl to surgical patients, DUTHIE, D. J. R., *et al.* 614
Plasma prilocaine, concentrations after three techniques of brachial plexus blockade, MACLEAN, D., *et al.* 136
P_{O_2} and P_{CO_2} dual electrodes, transcutaneous, performance in adults, LANIGAN, C., *et al.* 736
Pollution, in the operating theatre in Glasgow, GRAY, W. M., (*ARS*) 331P

Polymyositis, acute, and dermatomyositis, anaesthetic management of two patients, GANTA, R., *et al.* 854
Porphyria, acute intermittent safe use of propofol in a patient with porphyria, MITTERSCHIFFTHALER, G., *et al.* 109
Postanaesthetic arousal time, in elderly patients. *A Double-Blind Study of Glycopyrrolate and Atropine*, MALLING, B. V. G., *et al.* 426
Postischaemic myocardium, histology, and its relation to left ventricular function, FLAMENG, W., *et al.* 14S
Postoperative analgesia, by continuous extradural infusion of bupivacaine and diamorphine, LEE, A., *et al.* 845
——, with fentanyl: pharmacokinetics and pharmacodynamics of constant-rate i.v. and transdermal delivery, HOLLY, F. O., *et al.* 608
Postoperative hypertension, continuous i.v. infusion of labetalol, PRYS-ROBERTS, C., *et al.*, (*C*) 600
Postoperative morphine, demand from a patient controlled analgesia apparatus, effect of diclofenac and nefopam, GOUCKE, C. R., *et al.*, (*ARS*) 333P
Postoperative pain, efficacy of meptazinol suppositories compared with i.m. morphine in the management of postoperative pain, MOORES, M. A., *et al.* 542
——, of children, double-blind multiple-dose comparison of buprenorphine and morphine, MAUNUKSELA, E.-L., *et al.* 48
——, plasma fentanyl concentrations during transdermal delivery of fentanyl to surgical patients, DUTHIE, D. J. R., *et al.* 614
Postoperative state, effects of sounds presented during general anaesthesia on postoperative course, BOEKE, S., *et al.* 697
Post-spinal headache, and posture, *A Controlled Trial in 80 Obstetric Patients*, THORNBERRY, E. A., *et al.* 195
Post-tetanic count, and profound neuromuscular blockade with atracurium infusion in paediatric patients, RIDLEY, S. A., *et al.* 31
Posture, and post-spinal headache. *A Controlled Trial in 80 Obstetric Patients*, THORNBERRY, E. A., *et al.* 195
Power capacity, principles underlying the assessment of ventricular and myocardial work and power capacity, JACOB, R., *et al.* 8S
Pregnancy, delays gastric emptying but labour does not, CRAWFORD, J. S., (*C*) 864
——, delays paracetamol absorption and gastric emptying in patients undergoing surgery, SIMPSON, K. H., *et al.* 24
Preload, left ventricular, measured using PCWP as an index, reliability, VAN AKEN, H., *et al.* 85S
Premedicant drugs, influence on changes in palmar sweat during anaesthesia, BARCROFT, J. P., *et al.*, (*ARS*) 332P
Premedication, diazepam, and water ingestion, effect on gastric volume and pH, HOLMES, W., *et al.*, (*ARS*) 327P
——, with clonidine for isoflurane-induced hypotension, WOODCOCK, T. E., *et al.* 388
——, with slow release morphine (MST) and hyoscine or diazepam, by mouth, SIMPSON, K. H., *et al.* 825
Preoperative assessment, of risk factors associated with MH, SMITH, R. J. 317
Preoperative fluids, and ranitidine in children, SANDHARI, B. K., *et al.*, (*ARS*) 324P
Preoperative intercostal nerve block, effect on the endocrine metabolism response to surgery, PITHER, C. E., *et al.* 730
Preoperative water, effect of administration on gastric volume and pH, MCGRADY, E. M., *et al.* 803
Pressure reversal, of amphetamine-induced hyperactivity, HUNTER, A. B., *et al.*, (*ARS*) 339P
——, of anaesthesia: a synaptic mechanism, KENDIG, J. J., *et al.* 806
Pressure–length loop, FOËX, P., *et al.* 65S
Pretreatment, effect of pretreatment with suxamethonium, gallamine or pancuronium on suxamethonium-induced fasciculations and myalgia, O'SULLIVAN, E. P., *et al.* 367
Prilocaine, plasma concentrations after three techniques of brachial plexus blockade, MACLEAN, D., *et al.* 136
Priming principle, and the "arm-drop" test, GOODRUM, D., (*C*) 122
Prolactin, plasma concentrations, during high-dose opioid anaesthesia, HYNYNEN, M., *et al.*, (*C*) 245
Propofol, a manually-controlled infusion scheme, ROBERTS, F. L., *et al.*, (*ARS*) 342P
——, compared with thiopentone in combination with vecuronium, IOP changes during rapid sequence induction of anaesthesia, MIRAKHUR, R. K., *et al.* 379
——, (Diprivan), pharmacokinetics in elderly patients, KIRKPATRICK, T., *et al.* 146
——, for arthroscopy in outpatients. *Comparison of Three Anaesthetic Techniques*, HERREGODS, L., *et al.* 565
——, haemodynamic effects, DRUMMOND, G. B., *et al.*, (*C*) 865
——, safe use in a patient with acute intermittent porphyria, MITTERSCHIFFTHALER, G., *et al.* 109
——, to induce and maintain anaesthesia, haemodynamic changes, CLAEYS, M., *et al.* 3
Propranolol, disposition in dogs, comparison of the effects of isoflurane and fentanyl–nitrous oxide anaesthesia, REILLY, C. S., *et al.* 791
Prostatectomy, combined spinal–extradural anaesthesia, ELDOR, J., *et al.*, (*C*) 121
——, transurethral, visual evoked potentials and changes in serum glycine concentration, CASEY, N. F., *et al.* 525
Pulmonary blood flow, distribution during lobar ventilation hypoxia and collapse, effects of increased cardiac output, CANNON, D., *et al.* 430
——, during closed heart surgery. *Use of a Modified* $\dot{Q}p/\dot{Q}s$ *Ratio to Assess Adequacy of a Palliation of Systemic–Pulmonary Artery Shunts*, YATES, A. P. B. 768
Pulmonary capillary wedge pressure, PCWP, reliability as an index for left ventricular preload, VAN AKEN, H., *et al.* 85S
Pulmonary oedema, re-expansion, slow decompression?, BAINTON, R., *et al.*, (*C*) 116
Pulmonary toxicity, after treatment with bleomycin alone or in combination with hyperoxia. *Studies in the Rat*, BLOM-MUILWIJK, M. C., *et al.* 91
Pulsatile bypass, and routine (non-pulsatile) cardiopulmonary bypass compared, by measuring adrenocortical hormone concentrations, POLLOCK, E. M. M., *et al.* 536
Pulse oximetry, during repair of congenital diaphragm hernia, BLOCH, E. C., (*C*) 481
——, used to measure the effect of methylene blue dye on haemoglobin oxygen saturation, GORMAN, E. S., *et al.* 439
Pulse oximetry data, computer storage and retrieval, DODDS, C., *et al.*, (*ARS*) 343P
Pump infusions, continuous for extradural analgesia during labour, FRANKEL, D. Z. N., (*C*) 117
Pupillary changes, after oral codeine, PEACOCK, J. E., *et al.*, (*ARS*) 342P

$\dot{Q}p/\dot{Q}s$ **ratio**, modified to assess adequacy of palliation of systemic–pulmonary artery shunts, YATES, A. P. B. 768

Rabbit, conscious, influence of pretreatment with an MAOI (phenelzine) on the effects of opiates, MACKENZIE, J. E., *et al.* 216

Rabbits, effect of adrenaline on placental transfer of bupivacaine, LAISHLEY, R. S., *et al.*, (*ARS*) 330P
Ranitidine, and preoperative fluids in children, SANDHARI, B. K., *et al.*, (*ARS*) 324P
Rapid sequence induction, of anaesthesia and intraocular pressure: comparison of propofol and thiopentone in combination with vecuronium, MIRAKHUR, R. K., *et al.* 379
Rat, pulmonary toxicity after treatment with bleomycin alone or in combination with hyperoxia in the rat, BLOM-MUILWIJK, M. C., *et al.* 91
Rat liver slices, and diazepam metabolism: *in vitro* interactions of volatile anaesthetics and albumin, DALE, O., *et al.* 692
Rebreathing, and flow requirements during mechanically controlled ventilation in a T-piece (Mapleson E), MORGAN-HUGHES, J. O., *et al.*, (*C*) 867
——, greater work through an IMV ventilator, SHANKAR, K. B., *et al.*, (*C*) 480
Recall, effects of sounds presented during general anaesthesia on postoperative course, BOEKE, S., *et al.* 697
Recovery, after neuromuscular blockade by atracurium compared with pancuronium, HUTTON, P., *et al.* 36
Recovery characteristics, of diazepam compared with midazolam, GALLETLY, D., *et al.* 520
Recovery room, oxygen saturation in patients, DALE, S., *et al.*, (*ARS*) 341P
Rectal administration, i.v. and i.m. administration of pethidine in children, comparative plasma concentration profiles, JACOBSON, J., *et al.* 623
——, of meptazinol as a suppository, single dose, compared with morphine by i.m. injection, for efficacy and safety, MOORES, M. A., *et al.* 542
Re-expansion pulmonary oedema, slow decompression?, BAINTON, R., *et al.*, (*C*) 116
Regional length, and thickness measurements of the heart wall, LOWENSTEIN, E. 58S
Regional myocardial performance, and coronary haemodynamics, effects of diltiazem in the dog, SKARVAN, K., *et al.* 660
Regression of analgesia, unpredictability during the continuous postoperative extradural infusion of bupivacaine, MOGENSEN, T., *et al.* 515
Renal Physiology: Principles, Structure and Function, Second Edition, KOUSHANPOUR, E., *et al.*, (*R*) 352
Repair of fractured femur, outcome after general anaesthesia for repair of fractured neck of femur. *A Randomized Trial of Spontaneous* v. *Controlled Ventilation*, COLEMAN, S. A., *et al.* 43
Respiration, effects of nitrous oxide during halothane anaesthesia in the dog, HALL, L. W. 207
Respiratory depression, and apnoea, associated with intrathecal morphine in obstetrics, ABOULEISH, E. 592
Respiratory function, after oesophageal sclerotherapy, LOVETT, M. C., *et al.*, (*ARS*) 333P
Response time, and correlation with end-tidal gas tensions and drift assessed with combined transcutaneous electrodes, LANIGAN, C., *et al.* 736
Risk factors, associated with MH, preoperative assessment, SMITH, R. J. 317
Ropivacaine, compared with bupivacaine and mepivacaine, differential nerve blockade, WILDSMITH, J. A. W., *et al.*, (*ARS*) 334P

Sclerotherapy, oesophageal, associated with deterioration in respiratory function, LOVETT, M. C., *et al.*, (*ARS*) 333P
Seizure, grand mal, after extradural morphine analgesia, BORGEAT, A., *et al.* 733
Seizure duration, effect of passive hyperventilation in patients undergoing electroconvulsive therapy, CHATER, S. N., *et al.* 70
Seizure threshold, induced by lignocaine in cats, effects of atracurium, vecuronium or pancuronium pretreatment, LANIER, W. L., *et al.* 74
Serum glycine concentration, changes, and visual evoked potentials during transurethral prostatectomy, CASEY, N. F., *et al.* 525
Sickle-Cell Anemia and Thalassemia: A Primer for Health Care Professionals, HUNTSMAN, R. G., (*E*) 602
Silastic, as a lipophilic barrier membrane for assessment of the percutaneous absorption of local anaesthetics, MCCAFFERTY, D. F., *et al.* 64
Single twitch, (ST) and train-of-four stimulation (TOF) compared for measurement of non-depolarizng neuromuscular block, BELL, P. F., *et al.*, (*ARS*) 343P
Sixty-five and going strong, SPENCE, A. A., (*E*) 605
Skin electrical resistance, changes used to predict successful brachial plexus block, SMITH, G. B., *et al.* 703
Slow release morphine, (MST), plus hyoscine or diazepam by mouth for premedication, SIMPSON, K. H., *et al.* 825
Social implications, of MH and its diagnosis, ELLIS, F. R., (*E*) 251
Soda-lime, comparison of three commercially available preparations, LAMB, K. S. R., *et al.*, (*ARS*) 329P
Sodium nitroprusside, compared with trimetaphan nitroprusside for cardiovascular actions in greyhounds, SURY, M. R. J., *et al.* 797
——, compared with trimetaphan nitroprusside in greyhounds, SURY, M. R. J., *et al.*, (*ARS*) 336P
——, may not be choice of drug for arterial pressure control in patients with reduced detoxifying capacity, IVANKOVICH, A. D., *et al.*, (*C*) 744
Sodium thiosulphate, decreases blood cyanide concentration sodium nitroprusside, IVANKOVICH, A. D., *et al.*, (*C*) 744
Sore throat, incidence and severity after operation: influence of tracheal tube size, GHALY, R. G., *et al.*, (*ARS*) 329P
Species differences, STANLEY, T. H. 116S
Spinal anaesthesia, with hyperbaric bupivacaine. *Effects of Age on Neural Blockade and Pharmacokinetics*, VEERING, B. T., *et al.* 187
Spinal analgesia, with hyperbaric bupivacaine: influence of age, RACLE, J. P., *et al.* 508
Spinal–extradural anaesthesia, combined, for prostatectomy, ELDOR, J., *et al.*, (*C*) 121
Spontaneous ventilation, *v.* controlled ventilation, a randomized trial. Outcome after general anaesthesia for repair of fractured neck of femur, COLEMAN, S. A., *et al.* 43
Subanaesthetic concentrations, of isoflurane compared with nitrous oxide in volunteers, MCMENEMIN, I. M., *et al.* 56
Subarachnoid anaesthesia, produced by hyperbaric lignocaine in elderly patients. *Prolongation of Effect with Adrenaline*, RACLE, J. P., *et al.* 831
——, visual evoked potentials and changes in serum glycine concentration during transurethral prostatectomy under subarachnoid anaesthesia, CASEY, N. F., *et al.* 525
Subarachnoid block, and light general anaesthesia for patients undergoing large bowel anastomosis, WORSLEY, M. H., *et al.* 836
Subclavian vein cannulation, resulting in contralateral haemothorax as a late complication, BARDOSI, L., *et al.* 461
Sublingual lormetazepam, a new formulation, compared with i.v. diazepam in outpatient minor oral surgery, O'BOYLE, C. A., *et al.* 419
Sudden infant death syndrome, and malignant hyperpyrexia, ELLIS, F. R., *et al.* 28
——, relationship to MH, BROWNELL, A. K. W. 303
Sufentanil, as supplement to nitrous oxide in oxygen anaesthesia, O'CONNOR, M., *et al.*, (*ARS*) 340P

Sufentanil–oxygen, compared with fentanyl–oxygen anaesthesia for coronary artery bypass grafting, MATHEWS, H. M. L., *et al.* 530
Surgical stimulation, and lower oesophageal contractility (LOC), EVANS, J. M., (*C*) 864
——, effect on the auditory evoked response, THORNTON, C., *et al.* 372
——, relationship with lower oesophageal contractility, THOMAS, D. I., *et al.*, (*ARS*) 337P
Susceptibility, to malignant hyperthermia, diagnosis in man, ØRDING, H. 287
Suxamethonium, and intraocular pressure, EDMONDSON, L., *et al.*, (*C*) 349
——, and MHS muscle, NELSON, T. C., (*C*) 596
——, and pancuronium, used to induce neuromuscular blockade to study differential effects of calcium channel blocking agents, SALVADOR, A., *et al.* 495
——, effect on the ICP of cats with and without thiopentone pretreatment, THIAGARAJAH, S., *et al.* 151
——, -induced fasciculations and myalgia, differential effects of neuromuscular blocking agents, O'SULLIVAN, E. P., *et al.* 367
——, induced muscle fasciculations and increase in intragastric pressure inhibited by alfentanil, in children, LINDGREN, L., *et al.* 176
——, sensitive genotypes, EVANS, R. T., *et al.*, (*C*) 866
Swan–Ganz catheter, for measurement of ventricular ejection fraction in the acutely ill, VINCENT, J. L. 113S
Synaptic depressant effect, of an anaesthetic agent, can it be reversed by enhanced potentiation?, KENDIG, J. J., *et al.* 806
Synaptic transmission, effects of inhalation anaesthetics on three CNS excitatory synaptic pathways *in vitro*, MACIVER, M. B., *et al.* 680
Synergistic anti-neoplastic effect, of nitrous oxide and methotrexate, GILLMAN, M. A., (*C*) 349
Systemic–pulmonary artery shunts, adequacy of palliation by use of a modified $\dot{Q}p/\dot{Q}s$ ratio, YATES, A. P. B. 768

Temazepam, by mouth, compared with Diazemuls i.v. for sedation for dental surgery. *Variability in Absorption may Influence Clinical Effect*, HOSIE, H. E., *et al.* 18
Test doses, extradural, in labour, WILSON, I., (*C*) 117
The Therapy of Pain Second Edition, SWERDLOW, M., (EDITOR), (*R*) 353
Thermal injury, evaluation of atracurium neuromuscular blockade in paediatric patients with burn injury, MILLS, A. K., *et al.* 450
Thickness measurements, and regional length of the heart wall, LOWENSTEIN, E. 58S
Thiopentone, after neuromuscular blockers, POTTER, C. J. F., (*C*) 865
——, compared with propofol in combination with vecuronium, IOP changes during rapid sequence induction of anaesthesia, MIRAKHUR, R. K., *et al.* 379
——, effect of suxamethonium on the ICP of cats with and without thiopentone pretreatment, THIAGARAJAH, S., *et al.* 151
——, or etomidate for induction of anaesthesia, with or without fentanyl, following bradycardia induced with vecuronium, INOUE, K., *et al.* 10
——, or etomidate was used to induce anaesthesia in two patients with severe muscle weakness, GANTA, R., *et al.* 854
——, ventilatory effects of oxygen in the dog under thiopentone anaesthesia, GAUDY, J. H., *et al.* 456
Tonic–clonic seizure, after extradural morphine analgesia for Caesarean section in an epileptic patient, BORGEAT, A., *et al.* 733
Total i.v. anaesthesia, and pharmacokinetics of alfentanil, PERSSON, M. P., *et al.* 755
Total ventilatory compliance, during anaesthesia, comparison in spontaneously breathing and paralysed infants and young children, EWART, M. C., *et al.*, (*ARS*) 320P
T-piece (Mapleson E), flow requirements and rebreathing during mechanically controlled ventilation, MORGAN-HUGHES, J. O., *et al.*, (*C*) 867
Tracheal intubation, anterior fontanelle pressure response in the awake and anaesthetized infant, STOW, P. J., *et al.* 167
——, effect of nifedipine on cardiovascular responses to laryngoscopy and intubation, PURI, G. D., *et al.* 579
——, modification by alfentanil of the haemodynamic response to tracheal intubation in elderly patients. *A Dose–Response Study*, KIRBY, I. J., *et al.* 384
——, or oesophageal gastric tube airway for emergency Caesarean section, WILLIAMSON, R., *et al.*, (*C*) 476
Tracheal tube size, influence on incidence and severity of sore throat after operation, GHALY, R. G., *et al.*, (*ARS*) 329P
Tracheal tubes, physics of lasers and implications for their use during airway surgery, VAN DER SPEK, A. F. L., *et al.* 709
Train-of-four, (TOF) and single twitch (ST) compared for measurement of non-depolarizing neuromuscular block, BELL, P. F., *et al.*, (*ARS*) 343P
——, (TOF) response studied electromyographically during onset and spontaneous offset of neuromuscular blockade, induced with vecuronium or gallamine, POWER, S. J., *et al.* 486
Trans-arterial technique, for axillary brachial plexus anaesthesia compared with the Winnie technique, YOUSSEF, M. S., *et al.* 841
Transconjunctival oxygen sensor, *in vivo* stability, LANIGAN, C., *et al.*, (*ARS*) 321P
Transcutaneous monitoring, performance of combined Po_2 and Pco_2 electrodes were assessed in adults, LANIGAN, C., *et al.* 736
Transdermal delivery, of fentanyl to surgical patients, plasma fentanyl concentrations, DUTHIE, D. J. R., *et al.* 614
Transdermal route, and i.v. route for constant rate delivery pharmacokinetics and pharmacodynamics of fentanyl for postoperative analgesia, HOLLY, F. O., *et al.* 608
Transsphenoidal surgery, anaesthetic problems in a patient with extreme gigantism, CHAN, V. W. S., *et al.* 464
Transurethral prostatectomy, visual evoked potentials and changes in serum glycine concentration, CASEY, N. F., *et al.* 525
Trans-urethral surgery, and apparatus for measurement of blood loss, BAKER, J. A., *et al.*, (*ARS*) 339P
Triflo II Incentive Deep Breathing Exerciser, evaluation after cholecystectomy, CRAWFORD, B., *et al.*, (*ARS*) 345P
Trimetaphan, rate of induction of hypotension with trimetaphan modifies the ICP response in cats, KARLIN, A., *et al.* 161
Trimetaphan nitroprusside, cardiovascular actions compared with sodium nitroprusside in greyhounds, SURY, M. R. J., *et al.* 797
——, compared with sodium nitroprusside in greyhounds, SURY, M. R. J., *et al.*, (*ARS*) 336P
Tubocurarine, and alcuronium, accelerating neuromuscular blockade, POLLARD, B. J., (*ARS*) 326P
——, before thiopentone, POTTER, C. J. F., (*C*) 865
——, neuromuscular block prolonged with atracurium or vecuronium, MIDDLETON, C. M., *et al.*, (*ARS*) 323P

Unconscious perception, during anaesthesia, a comment on statistics, CORMACK, R. S., (*C*) 600
Undergraduate medical curriculum, and anaesthesia, PRYS-ROBERTS, C., *et al.*, (*E*) 355
Upper limb blood flow, during hexamethonium-induced hypotension, PAUCA, A. L. 151

Vecuronium, and atracurium following tubocurarine, MIDDLETON, C. M., *et al.*, (*ARS*) 323P
——, and doxapram, use in patients susceptible to malignant hyperthermia (MH), ØRDING, H., *et al.* 445
——, atracurium or pancuronium, effects of pretreatment on lignocaine seizure threshold in cats, LANIER, W. L., *et al.* 74
——, compared with gallamine in a study of fade profiles during spontaneous offset of neuromuscular blockade, POWER, S. J., *et al.* 486
——, induced bradycardia following induction of anaesthesia with etomidate or thiopentone, with or without fentanyl, INOUE, K., *et al.* 10
——, use in two patients with Duchenne's muscular dystrophy, muscle relaxation, BUZELLO, W., *et al.* 228
——, used for neuromuscular blockade in a comparison of propofol and thiopentone for rapid sequence induction of anaesthesia, intraocular changes occurring, MIRAKHUR, R. K., *et al.* 379
Venous catheters, central, complications in correct insertion, REIS, J., *et al.*, (*C*) 243
Ventilation, effects of altered patterns, and of increased cardiac output on blood flow to a collapsed lung in anaesthetized, closed-chest dogs, NIBLETT, D. J., *et al.* 198
——, high frequency jet, YOUNG, J. D., *et al.*, (*C*) 743
——, pattern, and an increase in cardiac output, effects on the distribution of blood flow to a hypoxic lung lobe, CANNON, D., *et al.* 81
——, physics of lasers and use in airway surgery, VAN DER SPEK, A. F. L., *et al.* 709
Ventilators, continuous flow, in the ICU, SHANKAR, K. B., *et al.*, (*C*) 118
Ventilatory compliance, total, during anaesthesia, comparison in spontaneously breathing and paralysed infants and young children, EWART, M. C., *et al.*, (*ARS*) 320P
Ventilatory effects, oxygen in the dog under thiopentone anaesthesia, GAUDY, J. H., *et al.* 456
Ventilatory efficiency, and carbon dioxide production during controlled ventilation in children with cyanotic heart disease, FLETCHER, R., (*ARS*) 332P
Ventricular arrhythmias, frequency in patients undergoing coronary revascularization without cardioplegic arrest receiving magnesium chloride, HARRIS, M. N. E., *et al.* 779
Ventricular function, measurement of the ventricular ejection fraction in the acutely ill, VINCENT, J. L. 113S
Ventricular work, myocardial work, and power capacity, principle underlying assessment, JACOB, R., *et al.* 8S
Venturi jet, physics of lasers and use in airway surgery, VAN DER SPEK, A. F. L., *et al.* 709
Visual evoked potentials, and changes in serum glycine concentration during transurethral prostatectomy, CASEY, N. F., *et al.* 525
Volatile anaesthetic drugs, influence on hepatic elimination of diazepam using rat liver slices *in vitro*, DALE, O., *et al.* 692
Vomiting, nausea and fentanyl, SOSIS, M., *et al.*, (*C*) 118

Walton–Brodie strain gauge arch, to measure contractile force during anaesthesia, REVES, J. G., *et al.* 78S
Water ingestion, and diazepam premedication, effect on gastric volume and pH, HOLMES, W., *et al.*, (*ARS*) 327P
Winnie technique, for axillary brachial plexus anaesthesia compared with the trans-arterial technique, YOUSSEF, M. S., *et al.* 841
Wound perfusion, intermittent, GIBBS, P., *et al.*, (*C*) 119

1987 Year Book of Anaesthesia, MILLER, R. D., (editor), (*R*) 750